Heraeus

1 Pt100 KN 3026

The KN Series Ceramic Wire Wound PRTDs are suitable for general applications requiring temperature stability.

Applications: Industrial resistance thermometers, especially in chemical, power generation plants and analytical equipment.

Construction: A platinum coil is sealed inside a high purity aluminum oxide ceramic body. Lead wires are shear force resistant and assure proper connection to extension leads and cables.



Models													
Description	Tolerance IEC 60751	Order No.	Dimensions mm				Self Heating O°C (K/mW)	Response time Water current Air stream V=0.4m/s V=3m/s					
			L	D	d	I		t _{0.5}	t _{0.9}	t _{0.5}	t _{0.9}		
1Pt100 KN 3026	W0.3 W0.15 W0.1 W0.03	32.206.520 32.206.544 32.206.557 32.206.082	30-0	2.6±0.15	0.27±0.01	10.0±0.5	0.4	0.3	0.6	10.5	34.0		

Technical Specification									
Nominal resistance:	100 Ohm @ 0 °C	Insulation resistance	> 100 MOhm @ 25 °C						
Temperature range:	W0.3 (Class B) = -196 to +660 $^{\circ}$ C	after assembly:							
	W0.15 (Class A) = -196 to +600 °C	Measuring current:	1 mA						
	(Heraeus exceeds IEC 60751: -100 to +450 °C)	Tolerance class:	- According to IEC 60751:2008						
	W0.1 (Class 1/3 B) = -100 to +350 °C		- Other standards and narrower tolerances are available on request						
	W0.03 (Class 1/10 B) = -50 to +300 $^{\circ}$ C (Special HST Class proportional to W0.3)	Temperature stability:	Excellent long-term stability						
Temperature coefficient:	Tc = 3850 ppm/K	Also available:	- Platinum-gold alloy - Different temperature coefficients (3916 ppm/K - old JIS) - Extension leads - Two separated coils can be embedded.						
Leads:	Palladium-gold alloy								
The measuring point is located at 8 mm from the end of the sensor body									

Heraeus Sensor Technology USA

1901 Route 130 North Brunswick, NJ 08902 Phone 732-940-4400 Fax 732-940-4445 Email info.hst-us@heraeus.com www.hst-us.com

Status: HSTUSA 10/09