




PRODUCT NUMBER
70234-XY
70234-XYLF



| PLATING IN CONTACT AREA | | |
|-------------------------|-----------------------------------|-------------|
| DASH NUMBER | PERFORMANCE LEVEL | NOTES |
| -Ayy | TELCORDIA CO | SEE NOTE 9 |
| -Myy | .38μm GOLD MIN. | - |
| -N1yy | TELCORDIA CO (NXT) | - |
| -N5yy | TELCORDIA UE (NXT) | - |
| -1yy | TELCORDIA CO | - |
| -2yy | TELECOM CLASS | - |
| -3yy | IEC CLASS I | - |
| -5yy | TELCORDIA UE | - |
| -AYYLF | TELCORDIA CO | SEE NOTE 10 |
| -N1YYLF | TELCORDIA CO (NXT) IEC CLASS I | SEE NOTE 10 |
| -N5YYLF | TELCORDIA UE (NXT) | SEE NOTE 10 |
| -1YYLF | TELCORDIA CO IEC CLASS I | SEE NOTE 10 |
| -2YYLF | TELECOM CLASS | SEE NOTE 10 |
| -5YYLF | TELCORDIA UE | SEE NOTE 10 |


| | | | | | | | | | | | | | | | | |
|-------------|-----------|----------|------------|---------------------------------------|------------|----------|--------------|------------|----|--------|---|---------|-----------------|-------|--|--|
| mat'l code | | | | tolerances unless otherwise specified | | | | CUSTOMER | | | FCJ www.fcjconnect.com | | | | | |
| ltr | ecn no. | dr | date | linear | 0.X ±0.3 | | | COPY | | | title METRAL SIGNAL HEADER 4 MOD, 4 ROW PRESS-FIT | | | | | |
| AG | V06-0498 | DCH | 2006-05-31 | | 0.XX ±0.13 | | | projection | | | | | | | | |
| AH | DG09-0256 | TER | 2009-08-19 | | .XXX ±.051 | | | | | | | | | | | |
| - | - | - | - | angles | 0° ±2° | | | | | | product family METRAL code | | | | | |
| AC | V04-0554 | TAB | 06/07/04 | dr | T.BRUNGARD | 11/19/99 | scale 2:1 | | | size | | 213 | | | | |
| AD | V05-0079 | HTB | 02/03/05 | engr | M.STRAWSE | 11/19/99 | | | | dwg no | | 70234 | | sheet | | |
| AE | V05-0359 | DAI | 04/21/05 | chr | M.STRAWSE | 11/19/99 | | | | A | | 1 of 12 | | | | |
| AF | V05-1030 | LP | 11/18/05 | appd | M.STRAWSE | 02/29/00 | | | | | | | | | | |
| sheet index | | revision | AH | AH | AH | AH | AH | AH | AH | AH | AH | AH | cage code 22526 | | | |
| | | sheet | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | | |

This document is the property of and embodies CONFIDENTIAL and PROPRIETARY information of FCJ. No part of the information shown on this document may be used in any way or disclosed to others without the written consent of FCJ. Copyright FCJ.

1 | 2

3 |

4



REQUIRED PC BOARD LAYOUT
COMPONENT SIDE

SEE PRINT 58351 FOR
ADDITIONAL PCB INFORMATION

| KEY | | |
|------|-----------------|-----------------|
| CODE | DIMENSIONS | |
| | DIM "A" MATE | DIM "B" TAIL |
| 1 | 5.00 | 4.30 |
| 2 | 5.75 | 4.30 |
| 3 | 6.50 | 4.30 |
| 4 | 7.25 | 4.30 |
| 5 | 5.00 | 13.60 |
| 6 | 5.75 | 13.60 |
| 7 | 6.50 | 13.60 |
| 8 | 7.25 | 13.60 |
| 9 | 5.00 | 17.00 |
| 10 | 5.75 | 17.00 |
| 11 | 6.50 | 17.00 |
| 12 | 7.25 | 17.00 |
| 13 | 8.25 | 4.30 |
| 14 | 8.25 | 13.60 |
| 15 | 8.25 | 17.00 |
| 19 | 8.00 | 4.30 |
| 20 | 8.00 | 13.60 |
| 21 | 8.00 | 17.00 |



This document is the property of and embodies
 CONFIDENTIAL and PROPRIETARY information of FCJ.
 No part of the information shown on this
 document may be used in any way or disclosed
 to others without the written consent of FCJ.
 Copyright FCJ.

| | | | | | | | | | | | |
|-------------|----------------|----|------|--------|------------|---------------------------------------|-------|----------|------------|--|-------|
| mat'l code | | | | -- | | tolerances unless otherwise specified | | CUSTOMER | | www.fcjconnect.com | |
| ltr | ecm no. | dr | date | linear | 0.X ±0.3 | | COPY | | projection | title | |
| AH | | | | | 0.XX ±0.13 | | | | | METRAL SIGNAL HEADER 4 MOD, 4 ROW PRESS-FIT | |
| | | | | | .XXX ±.051 | | | | | product family | |
| | | | | angles | 0° ±2° | | MM | | METRAL | | code |
| | | | | dr | T.BRUNGARD | 11/19/99 | | | size | | 213 |
| | | | | engr | M.STRAWSER | 11/19/99 | scale | | dwg no | | sheet |
| | | | | chr | M.STRAWSER | 11/19/99 | 1:1 | | A | | 2 |
| | | | | appd | M.STRAWSER | 02/29/00 | | | 70234 | | |
| sheet index | revision sheet | | | | | | | | | | |

cage code 22526 4

This document is the property of and embodies CONFIDENTIAL and PROPRIETARY information of FCJ. No part of the information shown on this document may be used in any way or disclosed to others without the written consent of FCJ. Copyright FCJ.



| METRAL P/N | ROW | CONTACT CODE MOD. 1 | | | | | MOD. 2 | | | | | MOD. 3 | | | | | MOD. 4 | | | | | | | | |
|---|-----|---------------------|----|----|----|----|--------|----|----|----|----|--------|----|----|----|----|--------|----|----|----|----|----|----|----|----|
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 |
| 70234-X50 SEE NOTE 11 LEAD FREE OPTION | D | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| | C | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| | B | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| | A | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 70234-X51 SEE NOTE 11 LEAD FREE OPTION | D | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | |
| | C | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | |
| | B | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | |
| | A | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | |
| 70234-X52 SEE NOTE 11 LEAD FREE OPTION | D | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | |
| | C | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | |
| | B | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | |
| | A | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | |
| 70234-X53 SEE NOTE 11 LEAD FREE OPTION | D | 14 | 14 | 14 | 14 | 14 | 14 | 14 | 14 | 14 | 14 | 14 | 14 | 14 | 14 | 14 | 14 | 14 | 14 | 14 | 14 | 14 | 14 | 14 | |
| | C | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | |
| | B | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | |
| | A | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | |
| 70234-X54 SEE NOTE 11 LEAD FREE OPTION | D | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | |
| | C | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | |
| | B | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | |
| | A | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | |

| METRAL P/N | ROW | CONTACT CODE MOD. 1 | | | | | MOD. 2 | | | | | MOD. 3 | | | | | MOD. 4 | | | | | | | |
|---|-----|---------------------|----|----|----|----|--------|----|----|----|----|--------|----|----|----|----|--------|----|----|----|----|----|----|----|
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 |
| 70234-X55 SEE NOTE 11 LEAD FREE OPTION | D | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| | C | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| | B | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| | A | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| 70234-X56 SEE NOTE 11 LEAD FREE OPTION | D | 2 | 0 | 2 | 0 | 2 | 0 | 2 | 0 | 2 | 0 | 2 | 0 | 2 | 0 | 2 | 0 | 2 | 0 | 2 | 0 | 2 | 0 | 2 |
| | C | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| | B | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| | A | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| 70234-X57 SEE NOTE 11 LEAD FREE OPTION | D | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| | C | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| | B | 14 | 14 | 14 | 14 | 14 | 14 | 14 | 14 | 14 | 14 | 14 | 14 | 14 | 14 | 14 | 14 | 14 | 14 | 14 | 14 | 14 | 14 | 14 |
| | A | 14 | 14 | 14 | 14 | 14 | 14 | 14 | 14 | 14 | 14 | 14 | 14 | 14 | 14 | 14 | 14 | 14 | 14 | 14 | 14 | 14 | 14 | 14 |
| 70234-X58 SEE NOTE 11 LEAD FREE OPTION | D | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 |
| | C | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 |
| | B | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 |
| | A | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 |
| 70234-X59 SEE NOTE 11 LEAD FREE OPTION | D | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| | C | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| | B | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| | A | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |

| | | | | | | | | | | | |
|-------------|----------------|----|------|--------|------------|---------------------------------------|------------|----------|----------------|------------------------|-------|
| mat'l code | | | | -- | | tolerances unless otherwise specified | | CUSTOMER | | www.fcjconnect.com | |
| ltr | ecn no. | dr | date | linear | 0.X ±0.3 | | COPY | | | title | |
| AH | | | | | 0.XX ±0.13 | | projection | | | METRAL SIGNAL HEADER | |
| | | | | | .XXX ±.051 | | | | | 4 MOD, 4 ROW PRESS-FIT | |
| | | | | angles | 0° ±2° | | | | | | |
| | | | | dr | T.BRUNGARD | 11/19/99 | | | product family | | code |
| | | | | engr | M.STRAWSER | 11/19/99 | | | METRAL | | 213 |
| | | | | chr | M.STRAWSER | 11/19/99 | | | size | | sheet |
| | | | | appd | M.STRAWSER | 02/29/00 | | | dwg no | | 7 |
| sheet index | revision sheet | | | | | | | | A | | 70234 |

This document is the property of and embodies
 CONFIDENTIAL and PROPRIETARY information of FCJ.
 No part of the information shown on this
 document may be used in any way or disclosed
 to others without the written consent of FCJ.
 Copyright FCJ.



| METRAL P/N | ROW | CONTACT CODE MOD. 1 | | | | MOD. 2 | | | | MOD. 3 | | | | MOD. 4 | | | | | | | | | | | |
|--|-----|---------------------|----|----|----|--------|----|----|----|--------|----|----|----|--------|----|----|----|----|----|----|----|----|----|----|----|
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 |
| 70234-X60 SEE NOTE 11 LEAD FREE OPTION | D | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| | C | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| | B | 12 | 12 | 12 | 12 | 12 | 12 | 12 | 12 | 12 | 12 | 12 | 12 | 12 | 12 | 12 | 12 | 12 | 12 | 12 | 12 | 12 | 12 | 12 | 12 |
| | A | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 |

| METRAL P/N | ROW | CONTACT CODE MOD. 1 | | | | MOD. 2 | | | | MOD. 3 | | | | MOD. 4 | | | | | | | | | | | |
|--|-----|---------------------|----|----|----|--------|----|----|----|--------|----|----|----|--------|----|----|----|----|----|----|----|----|----|----|----|
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 |
| 70234-X65 SEE NOTE 11 LEAD FREE OPTION | D | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| | C | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| | B | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 |
| | A | 12 | 12 | 12 | 12 | 12 | 12 | 12 | 12 | 12 | 12 | 12 | 12 | 12 | 12 | 12 | 12 | 12 | 12 | 12 | 12 | 12 | 12 | 12 | 12 |

| METRAL P/N | ROW | CONTACT CODE MOD. 1 | | | | MOD. 2 | | | | MOD. 3 | | | | MOD. 4 | | | | | | | | | | | |
|--|-----|---------------------|----|----|----|--------|----|----|----|--------|----|----|----|--------|----|----|----|----|----|----|----|----|----|----|----|
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 |
| 70234-X63 SEE NOTE 11 LEAD FREE OPTION | D | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 |
| | C | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 |
| | B | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 |
| | A | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 |

| METRAL P/N | ROW | CONTACT CODE MOD. 1 | | | | MOD. 2 | | | | MOD. 3 | | | | MOD. 4 | | | | | | | | | | | |
|--|-----|---------------------|----|----|----|--------|----|----|----|--------|----|----|----|--------|----|----|----|----|----|----|----|----|----|----|----|
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 |
| 70234-X66 SEE NOTE 11 LEAD FREE OPTION | D | 21 | 21 | 21 | 21 | 21 | 21 | 21 | 21 | 21 | 21 | 21 | 21 | 21 | 21 | 21 | 21 | 21 | 21 | 21 | 21 | 21 | 21 | 21 | 21 |
| | C | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 |
| | B | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 |
| | A | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 |

| METRAL P/N | ROW | CONTACT CODE MOD. 1 | | | | MOD. 2 | | | | MOD. 3 | | | | MOD. 4 | | | | | | | | | | | |
|--|-----|---------------------|----|----|----|--------|----|----|----|--------|----|----|----|--------|----|----|----|----|----|----|----|----|----|----|----|
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 |
| 70234-X62 SEE NOTE 11 LEAD FREE OPTION | D | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| | C | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| | B | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| | A | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 |

| METRAL P/N | ROW | CONTACT CODE MOD. 1 | | | | MOD. 2 | | | | MOD. 3 | | | | MOD. 4 | | | | | | | | | | | |
|--|-----|---------------------|----|----|----|--------|----|----|----|--------|----|----|----|--------|----|----|----|----|----|----|----|----|----|----|----|
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 |
| 70234-X64 SEE NOTE 11 LEAD FREE OPTION | D | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| | C | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 |
| | B | 12 | 12 | 12 | 12 | 12 | 12 | 12 | 12 | 12 | 12 | 12 | 12 | 12 | 12 | 12 | 12 | 12 | 12 | 12 | 12 | 12 | 12 | 12 | 12 |
| | A | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 |

| | | | | | | | | | | | |
|-------------|---------|----------------|------|--------|---------------------------------------|------------|--|----------|----------------------------|--------------------|--|
| mat'l code | | | | -- | tolerances unless otherwise specified | | | CUSTOMER | | www.fcjconnect.com | |
| ltr | ecr no. | dr | date | linear | 0.X ±0.3 | projection | | | title | | |
| AH | | | | | 0.XX ±0.13 | | | | METRAL SIGNAL HEADER | | |
| | | | | angles | .XXX ±.051 | | | | 4 MOD, 4 ROW PRESS-FIT | | |
| | | | | dr | 0° ±2° | | | | product family METRAL code | | |
| | | | | enr | T.BRUNGARD 11/19/99 | | | | size | | |
| | | | | chr | M.STRAWSER 11/19/99 | scale 1:1 | | | dwg no 70234 | | |
| | | | | appd | M.STRAWSER 02/29/00 | | | | sheet 213 | | |
| sheet index | | revision sheet | | | | | | | | sheet 8 | |



This document is the property of and embodies CONFIDENTIAL and PROPRIETARY information of FCJ. No part of the information shown on this document may be used in any way or disclosed to others without the written consent of FCJ. Copyright FCJ.

| METRAL P/N | ROW | CONTACT CODE MOD. 1 | | | | | MOD. 2 | | | | | MOD. 3 | | | | | MOD. 4 | | | | | | | | |
|---|-----|---------------------|----|----|----|----|--------|----|----|----|----|--------|----|----|----|----|--------|----|----|----|----|----|----|----|----|
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 |
| 70234-X90 SEE NOTE 11 LEAD FREE OPTION | D | 12 | 12 | 12 | 12 | 12 | 12 | 12 | 12 | 12 | 12 | 12 | 12 | 12 | 12 | 12 | 12 | 12 | 12 | 12 | 12 | 12 | 12 | 12 | 12 |
| | C | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| | B | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| | A | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 |

| METRAL P/N | ROW | CONTACT CODE MOD. 1 | | | | | MOD. 2 | | | | | MOD. 3 | | | | | MOD. 4 | | | | | | | | |
|---|-----|---------------------|----|----|----|----|--------|----|----|----|----|--------|----|----|----|----|--------|----|----|----|----|----|----|----|----|
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 |
| 70234-X95 SEE NOTE 11 LEAD FREE OPTION | D | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| | C | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| | B | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| | A | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 |

| METRAL P/N | ROW | CONTACT CODE MOD. 1 | | | | | MOD. 2 | | | | | MOD. 3 | | | | | MOD. 4 | | | | | | | | |
|---|-----|---------------------|----|----|----|----|--------|----|----|----|----|--------|----|----|----|----|--------|----|----|----|----|----|----|----|----|
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 |
| 70234-X91 SEE NOTE 11 LEAD FREE OPTION | D | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 |
| | C | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 |
| | B | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| | A | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 |

| METRAL P/N | ROW | CONTACT CODE MOD. 1 | | | | | MOD. 2 | | | | | MOD. 3 | | | | | MOD. 4 | | | | | | | | |
|---|-----|---------------------|----|----|----|----|--------|----|----|----|----|--------|----|----|----|----|--------|----|----|----|----|----|----|----|----|
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 |
| 70234-X92 SEE NOTE 11 LEAD FREE OPTION | D | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| | C | 12 | 12 | 12 | 12 | 12 | 12 | 12 | 12 | 12 | 12 | 12 | 12 | 12 | 12 | 12 | 12 | 12 | 12 | 12 | 12 | 12 | 12 | 12 | 12 |
| | B | 12 | 12 | 12 | 12 | 12 | 12 | 12 | 12 | 12 | 12 | 12 | 12 | 12 | 12 | 12 | 12 | 12 | 12 | 12 | 12 | 12 | 12 | 12 | 12 |
| | A | 21 | 21 | 21 | 21 | 21 | 21 | 21 | 21 | 21 | 21 | 21 | 21 | 21 | 21 | 21 | 21 | 21 | 21 | 21 | 21 | 21 | 21 | 21 | 21 |

| METRAL P/N | ROW | CONTACT CODE MOD. 1 | | | | | MOD. 2 | | | | | MOD. 3 | | | | | MOD. 4 | | | | | | | | |
|---|-----|---------------------|----|----|----|----|--------|----|----|----|----|--------|----|----|----|----|--------|----|----|----|----|----|----|----|----|
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 |
| 70234-X93 SEE NOTE 11 LEAD FREE OPTION | D | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| | C | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 |
| | B | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| | A | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 |

| METRAL P/N | ROW | CONTACT CODE MOD. 1 | | | | | MOD. 2 | | | | | MOD. 3 | | | | | MOD. 4 | | | | | | | | |
|---|-----|---------------------|----|----|----|----|--------|----|----|----|----|--------|----|----|----|----|--------|----|----|----|----|----|----|----|----|
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 |
| 70234-X94 SEE NOTE 11 LEAD FREE OPTION | D | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| | C | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 |
| | B | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 |
| | A | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 |

| | | | | | | | | | | | |
|-------------|----------------|----|------|--------|------------|---------------------------------------|------------|----------|----------------------------|------------------------|---|
| mat'l code | | | | -- | | tolerances unless otherwise specified | | CUSTOMER | | www.fcjconnect.com | |
| ltr | ecr no. | dr | date | linear | 0.X ±0.3 | | projection | | | | title METRAL SIGNAL HEADER 4 MOD, 4 ROW PRESS-FIT |
| AH | | | | | 0.XX ±0.13 | | | | product family METRAL code | | |
| | | | | | angles | .XXX ±.051 | | | | size | |
| | | | | 0° ±2° | | | | | | sheet | |
| | | | | dr | T.BRUNGARD | 11/19/99 | scale | | A | | 213 |
| | | | | enr | M.STRAWSER | 11/19/99 | 1:1 | | 70234 | | 11 |
| | | | | chr | M.STRAWSER | 11/19/99 | | | | | |
| | | | | appd | M.STRAWSER | 02/29/00 | | | | | |
| sheet index | revision sheet | | | | | | | | | | |

| |
|----------------|
| PRODUCT NUMBER |
| 70234-XYX |
| 70234-XYXLF |

NOTES:

1. FOR DIM A AND B SEE SHEET 2 AND UP.
2. BODY MATERIAL: LIQUID CRYSTAL
POLYMER 30 % GLASS.
FLAME RETARDANT ACC. UL 94-V0.
3. PIN MATERIAL:
PHOSPHOR BRONZE.
4. PLATING ON PRESS-FIT TAIL:
70234 -XYX IS SnPb
70234-XYXLF IS SN (LEAD FREE)
PLATING ON CONTACT AREA CONFORMS TO PERFORMANCE LEVEL SHOWN IN TABLE.
5. PRODUCT MARKING:
PART NUMBER DESIGNATION & BATCH I.D.
6. ALL PRODUCTS WITH PART NUMBERS SHOWN IN SUBSEQUENT TABLES WILL BE PACKAGED IN TUBES. IF TRAY PACKAGING IS REQUIRED, A SUFFIX "P" WILL BE ADDED TO THE END OF THE PART NUMBER. EXAMPLE: XXXXX-XXXP OR XXXXX-XXXPLF
7. PRODUCT SPECIFICATION GS-12-180
APPLICATION SPECIFICATION BUS-20-073
8. AFTER INSERTION INTO CIRCUIT BOARD WITH QUALIFIED TOOL.
9. -A PLATING HAS Au FLASH IN PRESS FIT AREA (LEAD FREE).
10. THE PRODUCTS WHERE THE PART NUMBER ENDS IN LF MEET THE EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS-22-008.
11. FOR LEAD FREE PART NUMBERS, ADD AN "LF" SUFFIX. EXAMPLE: 70234-X01LF
12. ALL PRODUCTS EXCEPT THOSE WITH PART NUMBERS CONTAINING (DRAWING NO.)-N1--- OR (DRAWING NO.)-N5---WILL WITHSTAND EXPOSURE TO 260°C FOR 60 SECONDS IN A CONVECTION, INFRA-RED OR VAPOR PHASE REFLOW OVEN. PART NUMBERS (DRAWING NO.)-N1--- AND (DRAWINGS NO.)-N5---WILL NOT WITHSTAND REFLOW AND Au CONTACT SURFACE OF THE CONTACTS SHALL BE EXPOSED TO A MAXIMUM 140°C FOR NO LONGER THAN 15 SECONDS IN A WAVE SOLDER APPLICATION.

A

A



This document is the property of and embodies CONFIDENTIAL and PROPRIETARY information of FCI. No part of the information shown on this document may be used in any way or disclosed to others without the written consent of FCI. Copyright FCI.

B

B

| | | | | | | | | | | | |
|-------------|----------------|----|------|--------|------------|---------------------------------------|------------|----------|--|--------------------|-------|
| mat'l code | | | | -- | | tolerances unless otherwise specified | | CUSTOMER | | www.fciconnect.com | |
| ltr | ecr no. | dr | date | linear | 0.X ±0.3 | | COPY | | title METRAL SIGNAL HEADER 4 MOD, 4 ROW PRESS-FIT | | |
| AH | | | | | 0.XX ±0.13 | | projection | | | | |
| | | | | | .XXX ±.051 | | | | | | |
| | | | | angles | 0° ±2° | | | | product family METRAL code | | |
| | | | | dr | T.BRUNGARD | 11/19/99 | MM | | size | | 213 |
| | | | | engr | M.STRAWSER | 11/19/99 | ← MM → | | dwg no | | sheet |
| | | | | chr | M.STRAWSER | 11/19/99 | scale | | A | | 12 |
| | | | | appd | M.STRAWSER | 02/29/00 | 1:1 | | 70234 | | |
| sheet index | revision sheet | | | | | | | | | | |