

TX09 Series

Development TMPA901CMXBG



## High-performance 32-bit RISC microcontroller with a USB host controller

## Features

32<sub>bit</sub>

<ul> <li>ARM926EJ-S<sup>TM</sup> CPU Core         <ul> <li>Operating voltage: Internal:1.4 to 1.6 V I/O:1.7 to 1.9 V, 3.0</li> <li>Minimum instruction execution time: 5 ns (200 MHz internal, 0 to 70°C)</li> <li>6.67 ns (150 MHz internal, -20 to 85°C)</li> <li>Data cache: 16 Kbytes</li> <li>Instruction cache: 16 Kbytes</li> <li>Internal ROM: 16 Kbytes (Boot)</li> <li>Internal RAM: 32 Kbytes</li> <li>External data bus width: Up to 16 bits</li> </ul> </li> <li>On-chip Functions         <ul> <li>Color LCD controller (16-bit TFT/STN)</li> <li>LCD data process accelerator</li> <li>Memory controller</li> <li>Static memory</li> <li>SDR SDRAM</li> <li>LVCMOS DDR SDRAM</li> <li>NAND Flash controller</li> <li>USB (High-speed) device controller</li> <li>USB (Full-Speed) host controller</li> <li>SPI (SPI/MicroWire mode)</li> <li>RTC</li> </ul> </li> </ul>	to 3.6 V : 1 channel : 2 channels : 1 channel : 1 channel : 8 channels : 1 channels : 1 channel	32kHz 25MHz 25MHz Unput/ Cutput Key Input CD Data CD Data	nterface	JTAG UF ARM 926EJ-S Core ROM (Boot) RAM LCD Accelerator DMA	: 1 ch : 1 ch : 4 ch : 6 ch	PWM Output     Touch Screen     Analog Input     External Trigger      USB Device     (High Speed)     OLK/DO/DI     HDP/HDN     USBPON     USBOC     annels     annels     annels     annels     annels     annels
·RTC	: 1 channel	·JTAG interface ·Power manager		t (PMC)		

·Oscillation frequency detection (OFD)

## Package Information

Pin Assignments	A1	A2	AЗ	A4	A5	Aß	A7	A8	A9	A10	A11	A12	A13	A14	A15	A16	A17
0	B1	B2	BЗ	В4	B5	86	В7	B8	89	B10	B11	B12	B13	в14	B15	B16	B17
	C1	C2	CЗ	C4	C5	C6	C7	С8	С9	C10	C11	C12	C13	C14	C15	C16	C17
	D1	D2	DЗ	D4	D5	D6	D7	D8	D9	D10	D11	D12	D13	D14	D15	D16	D17
	E1	E2	E3	E4	E5	E6	E7	E8	E9	E10	E11	E12	E13	E14	E15	E16	E17
	F1	F2	FЗ	F4	F5	F6	F7	F8	F9	F10	F11	F12	F13	F14	F15	F16	F17
	G1	G2	GЗ	G4	G5	G6	G7	G8	G9	G10	G11	G12	G13	G14	G15	G18	G17
	H1	H2	ΗЗ	H4	H5	H6	H7	H8	H9	H10	H11	H12	H13	H14	H15	H16	H17
	J1	J2	JЗ	J4	J5	J6	J7	J8	J9	J10	J11	J12	J13	J14	J15	J16	J17
	K1	К2	КЗ	K4	K5	K8	K7	К8	К9	K10	K11	K12	K13	K14	K15	K16	K17
·Package name:	L1	L2	L3	L4	L5	L6	L7	L8	L9	L10	L11	L12	L13	L14	L15	L16	L17
FBGA177-P-1313-0.8C4	M1	M2	MЗ	M4	M5	M6	M7	M8	M9	M10	M11	M12	M13	M14	M15	M16	M17
	N1	N2	NЗ	N4	N5	NB	N7	N8	N9	N10	N11	N12	N13	N14	N15	N16	N17
	P1	P2	PЗ	Ρ4	Ρ5	P6	Ρ7	P8	P9	P10	P11	P12	P13	P14	P15	P16	P17
Top View	R1	R2	RЗ	R4	R5	R6	R7	R8	R9	R10	R11	R12	R13	R14	R15	R16	R17
	Τ1	Т2	тз	т4	Τ5	T6	Τ7	Т8	Т9	T 10	T 11	T 12	T 13	т 14	T 15	T 16	T 17
		U2	U3	υ4	U5	U6	U7	U8	U9	U10	U11	U12	U13	U14	U15	U16	U17

## • Pin Numbers and Names (1/2)

	1	ames (1/2	3	4	5	6	7	8
$\vdash$	A1	A2	3		45	A6	A7	AS
A								
	DVSSCOM	SM3/XT2	SM2/XT1	PU3/NDD3/	PU2/NDD2/	PU1/ NDD1/LD	PU0/ NDD0/LD0	SE5/A5
	BI	B2	B3 PC3/MLDA	B4	B5	B6	B7	8
в	SP0/TCK	PC2/PWE	LM/PWM10 UT	PU7/NDD7/ LD7	PU6/NDD6/ LD6	PU5/ NDD5/LD	PU4/ NDD4/LD4	SF3/A11
	C1	C2	03 PC4/	04 PV3/	C5 PV2/	06 PVI/	07 PV0/	C8
С	SP4/RTCK	SP1/TMS	FSOUT/ FWM3OUT	NDCLE/	NDALE/ LD10	NDWEn/	NDREn/	SG0/A16
	DI	D2	D3 PC6/	D4	D5	D6 PV5/	D7 PV4/	D8
D	SP5/TDO	SP2/TDI	I2COCL/ USBPON	PV7/LD15	PV6/ NDRB/LD1	NDCE1n/	NDCEOn/	SG4/A20
	E1	E2	E3 PC7/	E4	E5			
E	D/CC3IO	SP3/TRSTn	12C0DA/ INT9	DVCC3I0	DVSSCOM			
	F1	F2	F3	F4				
F	DVCC1B	D/CC3IO	D/CC3IO	DVCC3IO				
	G1	G2	G3	G4				
G	DVSSCOM	DVSSCOM	DVSSCOM	DVSSCOM				
	HI	H2	H3	H4				
н	DVCC1 A	DVCC1 A	DVCC1 A	DVCC1 A				
	JI	ىلا	3L	J4				
J	AVCC3AD	VREFH	VREFL	DVCC1B				
	KI	K2	КЗ	K4				
к	PD4/AN4/ MX	PD5/AN5/ MY	AVSS3AD	D//CC3IO				
	L1 PD6/	L2	L3	L4				
L	INTA(TSI)/ ANI5	PD7/INTB/ AN7	D/CC3IO	SM5/AMD				
	MI	M2	M3	M4	M5	M6	M7	M8
м	D/CC3IO	DVCC3IO	PA0/KIO	PA2/K12	DVSSCOM	AVSS3C	DVCC1 A	DVCC3I0
$\square$	И	N2 PN0/	NB	N4	N5	N6	N7	N8
Ν	SM4/ RESETn	UOTXD/ SIRCOUT	PAI/KII	PA3/KI3	DVSSCOM	AVDD3C	AV/DD3T1	AVDD3T0
$\square$	P1 PN1/	P2	P3	P4	P5	P6	P7	P8
Р	UORXED/ SIROIN	SM7/AM1	DVCC1C	DVSS1C	DVSSCOM	SR3/ REXT	AVSS3T2	AVSS3T1
$\square$	R1	F2	F3	R4	F/5	R6	R7	F8
R	DVSSCOM	SM0/X1	SM1/X2	DVCC1C	SR4/ VSENS	AVSS3T3	SR1/DDM	SR0/DDP
$\square$	1	2	3	4	5	6	7	8

### Pin Numbers and Names (2/2)

9	10	11	12	13	14	15	
A9	A10	A11	A12	A13	A14	A15	$\vdash$
SE4/A4	SE3/A3	SE2/A2	SE1/A1	SEO/AO	SL2/ DMCAP	DVSSCOM	^
E9	B10	B11	B12	B13	B14	B15	
SG7/A23	SF2/A10	SF1/A9	SF0/A8	SE7/A7	SE6/A6	SL1/ DMCDCLKN	в
C9	C10	C11	C12	C13	C14 SK0/	C15	
SF7/AI5	SG6/A22	SF6/A14	SF5/A13	SF4/A12	DMCSDQM0 /	SLO/DMCDC LKP/DMCSC	C
D9	D10	D11	D12	D13	D14 SK1/	D15	D
SG3/A19	SG2/A18	SG5/A21	SG1/A17	SK4/ SMCWEn	DMCSDQMI /DMCDDMI	SL6/ DMCCLKIN	
			E12	E13	E14	E15	_
			SK5/ SMCBE1n	SU5/ DMCBA1	SB7/D15	SB6/D14	E
			F12	F13	F14	F15	_
			SJ6/ DMCCKE	SJ4/ DMCBA0	SB5/D13	SB4/D12	F
			G12	G13	G14	G15	
				SJ3/ DMCCASn	SB3/D11	SB2/D10	G
			H12	H13	H14	H15	l
			DVCCM	SJ2/ DMCRASn	SB1/D9	SB0/D8	Н
			J12	J13	J14	J15	
			DVCCM	SUI/ DMCWEn	SL5/ DMCDDQS1	SL4/ DMCDDQS0	J
			K12	K13	K14	K15	
			DVCC1 A	SUO/ SMCOEn	SA7/D7	SA6/D6	ĸ
			L12	L13	L14	L15	
			DVCC1B	SH7/ DMCCSn	SA5/D5	SA4/D4	
M9	M10	M11	M12	M13	M14	M15	
DVCC3I0	SN2/ SELJTAG	AVCC3H	SNL/ SELDVCCM	SH4/ SMCCSIn	SA3/D3	SA2/D2	м
N9	NIO	NI1 PT2/	N12 PT4/	N13	N14	N15	N
PB2/K02/ LCLFP	PB1/K01/ LOLAC	SPODO/ I2SODATI	UITXD/ USBPON	SH3/ SMCCSOn	SAI/DI	SA0/D0	
P9	P10	P11	P12	P13	P14	P15	
SN0/SELM EMC	PB0/K00/ LCLCP	PT6/ ULCTSn/ I2S0DATO	PT1/ SPOCLK/ I2SOCLK	PTO/ SPOFSS/ I2SOWS	PT3/SPODI/ I2SOMICLK	SH2/ SMCBEOn	P
F9	R10	R11	R12	R13	R14	R15	
AVSS3T0	PB3/K03/	PT7/ X1USB/	PT5/ UTRXD/	SN7/HDM	SN6/HDP	DVSSCOM	R
9		SELINAND		12	14	15	
9	10	11	12	13	14	15	

» ARM is a registered trademark and ARM926EJ-STM is a trademark of ARM Limited in the EU and other countries.

» Contact the Toshiba sales representative for information about RoHS compliance before you purchase any components.

Toshiba Corporation, and its ubsidiaries and affiliates (collectively "TOSHIBA"), reserve the right to make changes to the information in this document, and related hardware, software and systems (collectively "Product") without notice. This document and any information herein may not be reproduced without prior writes permission from TOSHIBA. Verw with TOSHIBA's writes permission, reproduction is permissible only if eproduction is without alteration onission. Though TOSHIBA works containally to primory Pointer's upplication from TOSHIBA. Here with TOSHIBA's writes permissible and for pointing document data of providing document, the specifications, the data bases of an antifuctions of the alter tervisions of all relevant TOSHIBA formation, including without limitation, in ducting without limitation, the charge to property including data document, the specifications, the data bases of an advective data of the charge to proprivate and systems which experiments and a dipetations. Tostimation and applications, the data and applications. Tostimation and deciment and experiment and applications of the advective data of the charge to proprivate and explorations of the advective data of the d

referenced documents; and (-) validating all operating parameters for such designs and applications. TOSHIBA ASSUMES NO LABLITY POR CUSTOMERS' PRODUCT DESIGN OR APPLICATIONS. Product is immedia for such ganced activations applications (or general equipment, factorial polyce) in the second equipment, factorial polyce is applicable of the second equipment, factorial polyce is applicable of the second equipment used for another lates, shared equipment, factorial polyce is applicable of the second equipment, factorial polyce is applicable of the second equipment, factorial polyce is applicable of the second equipment used for another lates, shared events, safety devices, elevators and escalators, devices related to electric power, and equipment to the second equipment, factorial polyce is applicable of the second equipment, factorial polyce is applicable of the second equipment, factorial polyce is applicable of the second equipment, factorial polyce is applicable in the second equipment equipment and the second equipment, factorial polyce is applicable base of the second equipment, factorial polyce is applicable in the second equipment, factorial polyce is applicable base or explosions, safety devices, elevators and escalators, devices related to electric power, and equipment factorial polyce is applicable base or explosions, safety devices, elevators and escalators, devices related to electric power, and equipment, equipment equipment, equipment used to control combustions or explosions are explosions. The second equipment factor equipment and applicable base or regulations.
The information control applicable base or explosions are explosions are explosions are explosions are explosions are explored on a participated on a product to explore the second equipment factor equipment and the second equipment equ n, equipment used in nuclear facilit r, and equipment used in finance... ilities, equipment us

ABSENT A WHITES SIGNED ACREATES ON IMPIRED. ON DEFINITION, NOR SALE FOR PRODUCT, AND TO THE MAXIMUM EXTENT ALLOWABLE BY LAW, TOSHIBA (1) ASSIMES NO LIABILITY WHATSOEVER, INCLUDING WITHOUT LIMITATION, LOBRET, CONSEQUENTIA, SPECIAL OR INCIDENTAL DAMAGES OR LOSS, INCLUDING WITHOUT LIMITATION, LOBRET, CONSEQUENTIA, SPECIAL OR INCIDENTAL DAMAGES OR LOSS, INCLUDING WITHOUT LIMITATION, LOBRET, CONSEQUENTIA, SPECIAL OR INCIDENTAL DAMAGES OR LOSS, INCIDEN

NONNEWIGENEXT. Do not use or otherwise made available Product or related software or technology for any military purposes, including without limitation, for the design, development, use, stockpiling or manufacturing of nuclear, chemical, or biological weapons or missile technology products (mass destruction weapons). Product and related software and technology may be controlled under the Lapance Foreign Exchange and Foreign Tade Law and the U.S. Export Administrations. Export and re-export of Product or related software or technology are strictly prohibited except in compliance with all applicable export laws and regulations. Product may include products subject to foreign track controlled under the Lay Export Administration except in compliance with all applicable laws and regulations that regulate the inclusion or use of controlled substances, including without limitation, the EU RoHS Directive. TOSHIBA assumes or loads (TOSHIBA assumes or loads) are a result of anonomical matters such as the RoHS compatibility of Product in compliance with all applicable laws and regulations that regulate the inclusion or use of controlled substances, including without limitation, the EU RoHS Directive. TOSHIBA assumes part of sost concurring as a result of anonomical matters such as the RoHS compatibility of Product in compliance with all applicable laws and regulations that regulate the inclusion or use of controlled substances, including without limitation, the EU RoHS Directive. TOSHIBA assumes part of loss concurring as a result of anonomical matters such as the RoHS compatibility of Product in compliance with all applicable laws and regulations.

on to the above, the following are applicable only to development tools

dation to the above, the following are applicable only to development tools. Though TOSHIBA in generation of a sale of the above is a second of the above is a second of the above is a second situation of failure of Poduct could cause loss of human life, bodily injury or damage to property, inclu For using the Poduct, customers must also refer to and comply with the latest versions of all relevant TOSHIBA information, including without limitation, this document, the instruction manal, the specifications, the data sheets for Product. Product is provided solely for the purpose of performing the functional evaluation of a selicondector product to select. Proceeding without limitation, evaluation in high or low temperature or humidity, and verification of reliability. Do not incorporate Product into your products or system. Products are for your own use and not for sale, lasse or other transfer.

## TOSHIBA

#### TOSHIBA CORPORATION

Semiconductor Company

http://www.semicon.toshiba.co.jp/eng

# **Mouser Electronics**

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Toshiba: TMPA901CMXBG