



**Product:** <u>9963</u> ☑

Electronic, 3 C #20 Str TC, PVC-NYL Ins, OA TC Brd, PVC Jkt

# Request Sample

# **Product Description**

Electronic, 3 Conductor 20AWG (19x32) Tinned Copper, PVC-NYL Insulation, Overall Tinned Copper Braid(90%) Shield, PVC Outer Jacket

## **Technical Specifications**

## **Product Overview**

Suitable Applications: MIL-W-16878 (Type B) Spec; up to 600V analog signals; up to 600V voltage control

## **Physical Characteristics (Overall)**

### Conductor

AWG	Stranding	Material	No. of Conductors
20	19x32	TC - Tinned Copper	3
Condu	ctor Count:		3

### Insulation

Layer	Material	Nominal Wall Thickness
1	PVC - Polyvinyl Chloride	0.011 in
2 Nylon		0.003 in

### **Color Chart**

Number	Color
1	White
2	Black
3	Red

### **Outer Shield Material**

Type	Material	Coverage [%]
Braid	TC - Tinned Copper	90 %

## **Outer Jacket Material**

Material	Nominal Diameter	Nominal Wall Thickness
PVC - Polyvinyl Chloride	0.21 in	0.025 in

## **Electrical Characteristics**

# Conductor DCR

Nominal Conductor DCR	Nominal Outer Shield DCR
9.1 Ohm/1000ft	5.8 Ohm/1000ft

## Capacitance

Nom. Capacitance Conductor to Conductor	Nom. Capacitance Conductor to Other Conductor to Shield
49 pF/ft	84 pF/ft

## Inductance

Nominal Inductance 0.145 µH/ft

#### Current

# Max. Recommended Current [A] 3.8 Amps per conductor @ 25°C A

### Voltage

Non-UL Voltage Rating	g
600 V RMS	

	Electrical Characteristics Notes:	Insulation Resistance: 500 megohms/1000 ft. @ 500 VDC
--	-----------------------------------	---

### **Temperature Range**

UL Temp Rating:	105°C
Operating Temp Range:	-20°C To +105°C

### **Mechanical Characteristics**

Bulk Cable Weight:	29 lbs/1000ft
Max Recommended Pulling Tension:	45 lbs
Min Bend Radius/Minor Axis:	2.25 in

### **Standards**

CPR Euroclass:	Eca
Military Specification:	MIL-W-16878E/17 (insulated conductor)
Other Specification:	NEMA HP3

### **Applicable Environmental and Other Programs**

EU Directive 2000/53/EC (ELV):	Yes
EU Directive 2003/96/EC (BFR):	Yes
EU Directive 2011/65/EU (ROHS II):	Yes
EU Directive 2012/19/EU (WEEE):	Yes
EU Directive Compliance:	EU Directive 2003/11/EC (BFR)
EU CE Mark:	Yes
EU RoHS Compliance Date (yyyy-mm-dd):	2005-10-01
MII Order #39 (China RoHS):	Yes

# Flammability, LS0H, Toxicity Testing

ISO/IEC Flammability:	IEC 60332-1-2
100/120 Hammability.	

### Plenum/Non-Plenum

Plenum (Y/N):	No	

# Part Number

## Variants

Item #	Color	UPC
9963 009100	White	612825265245
9963 0091000	White	612825265252
9963 009500	White	612825265269

Footnote: C - CRATE REEL PUT-UP.

### **History**

Update and Revision:	Revision Number: 0.294 Revision Date: 04-28-2020

## © 2020 Belden, Inc

### All Rights Reserved.

Although Belden makes every reasonable effort to ensure their accuracy at the time of this publication, information and specifications described here in are subject to error or omission and to change without notice, and the listing of such information and specifications does not ensure product availability.

Belden provides the information and specifications herein on an "ASIS" basis, with no representations or warranties, whether express, statutory or implied. In no event will Belden be liable for any damages (including consequential, indirect, incidental, special, punitive, or exemplary damages) whatsoever, even if Belden has been advised of the possibility of such damages, whether in an action under contract, negligence or any other theory, arising out of or in connection with the use, or inability to use, the information or specifications described herein.

All sales of Belden products are subject to Belden's standard terms and conditions of sale.

Belden believes this product to be in compliance with all applicable environmental programs as listed in the data sheet. The information provided is correct to the best of Belden's knowledge, information and belief at the date of its publication. This information is designed only as a general guide for the safe handling, storage, and any other operation of the product itself or the one that it becomes a part of. The Product Disclosure is not to be considered a warranty or quality specification. Regulatory information is for guidance purposes only. Product users are responsible for determining the applicability of legislation and regulations based on their individual usage of the product.