

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: [0743201007](#)
Status: **Active**
Description: MicroCross™ DVI-I Digital/Analog Visual Interface, PCB Receptacle, Through Hole, Right Angle, Gold (Au) Flash Plating, 3.12mm (.123") P.C. Tail Length, 28 Circuits, Lead Free

Documents:
[Drawing \(PDF\)](#) [RoHS Certificate of Compliance \(PDF\)](#)
[Product Specification PS-74320-001 \(PDF\)](#)

Agency Certification


UL E29179

General

Product Family I/O Connectors
Series [74320](#)
Application Wire-to-Board
Comments DDWG (Digital Display Working Group) Standard
Component Type Receptacle
Product Name MicroCross™DVI
Type N/A

Physical

Boot Color N/A
Circuits (Loaded) 28
Circuits (maximum) 28
Color - Resin Natural
Durability (mating cycles max) 100
Flammability 94V-0
Gender Receptacle
Keying to Mating Part Yes
Lock to Mating Part Yes
Material - Metal Copper Alloy
Material - Plating Mating Gold
Material - Plating Termination Tin
Number of Rows 3
Orientation Right Angle
PC Tail Length (in) 0.123 In
PC Tail Length (mm) 3.12 mm
PCB Locator Yes
PCB Retention Yes
Packaging Type Tray
Panel Mount Yes
Pitch - Mating Interface (in) 0.075 In
Pitch - Mating Interface (mm) 1.91 mm
Pitch - Term. Interface (in) 0.075 In
Pitch - Term. Interface (mm) 1.91 mm
Plating min: Mating (µin) 2
Plating min: Mating (µm) 0.05
Plating min: Termination (µin) 100
Plating min: Termination (µm) 2.50
Polarized to Mating Part Yes
Polarized to PCB Yes
Ports 1
Surface Mount Compatible (SMC) No
Temperature Range - Operating -20°C to +85°C



EU RoHS

**ELV and RoHS
Compliant**
REACH SVHC
Not Reviewed
**Halogen-Free
Status**

China RoHS



**Need more information on product
environmental compliance?**

Email productcompliance@molex.com
For a multiple part number RoHS Certificate of
Compliance, [click here](#)

Please visit the [Contact Us](#) section for any
non-product compliance questions.

Search Parts in this Series

[74320Series](#)

Mates With

[88744](#) , [74323](#)


Use With

Hex Screw Kit 71781-0001 or 71781-0002

Termination Interface: Style	Through Hole
Waterproof / Dustproof	No
Wire Size AWG	N/A
Electrical	
Current - Maximum per Contact	3A
Grounding to Panel	Yes
Shield Type	Full Shield
Shielded	Yes
Voltage - Maximum	40V AC (RMS)
Material Info	
Reference - Drawing Numbers	
Product Specification	PS-74320-001
Sales Drawing	SD-74320-001

This document was generated on 04/05/2010

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION



 THIRD ANGLE PROJECTION		DIMENSIONS: ☐ mm ☒ INCH ☐ INCH ☒ mm ☐ ONLY		SHT. REV.
TITLE:		DVI - INTERGRATED RIGHT ANGLE RECEPTACLE CONNECTOR		
 MOLEX INCORPORATED				
MATERIAL NO. SEE CHART	DRAWING NO. SD-74320-001	SHEET NO. 1 OF 2		
NO INFORMATION THAT IS PROPRIETARY TO MOLEX COULD NOT BE USED WITHOUT WRITTEN PERMISSION.				SIZE C

