






1470-19 (3/11)

7 ADDITIONAL REQUESTS FOR P/N: 5-1971906-7 AND 6-1971906-7:


5-1971906-7:
KEY A, NATRUAL




6-1971906-7:
KEY B, BLUE




KEYING A



KEYING B



KEYING C



KEYING D

5 TABLE 3

MATING PLUG P/N	COLOR	KEYING	N	M	POS	PART NO.
2-1971905-7	BLUE	B	19.8	25.2	14	6-1971906-7
1-1971905-7	NATURAL	A			14	5-1971906-7
4-1971905-7	YELLOW	D			14	4-1971906-7
3-1971905-7	RED	C			14	3-1971906-7
2-1971905-7	BLUE	B	16.5	21.9	14	2-1971906-7
1-1971905-7	NATURAL	A			14	1-1971906-7
4-1971905-6	YELLOW	D			12	4-1971906-6
3-1971905-6	RED	C			12	3-1971906-6
2-1971905-6	BLUE	B	13.2	18.6	12	2-1971906-6
1-1971905-6	NATURAL	A			12	1-1971906-6
4-1971905-5	YELLOW	D			10	4-1971906-5
3-1971905-5	RED	C			10	3-1971906-5
1-1971905-5	BLUE	B	9.9	15.3	10	2-1971906-5
1-1971905-5	NATURAL	A			10	1-1971906-5
4-1971905-4	YELLOW	D			8	4-1971906-4
3-1971905-4	RED	C			8	3-1971906-4
2-1971905-4	BLUE	B	6.6	12	8	2-1971906-4
1-1971905-4	NATURAL	A			8	1-1971906-4
4-1971905-3	YELLOW	D			6	4-1971906-3
3-1971905-3	RED	C			6	3-1971906-3
2-1971905-3	BLUE	B	3.3	8.7	6	2-1971906-3
1-1971905-3	NATURAL	A			6	1-1971906-3
4-1971905-2	YELLOW	D			4	4-1971906-2
3-1971905-2	RED	C			4	3-1971906-2
2-1971905-2	BLUE	B	1-1971905-2	NATURAL	4	2-1971906-2
1-1971905-2	NATURAL	A			4	1-1971906-2

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC	± -
1 PLC	±0.5
2 PLC	±0.13
3 PLC	±0.013
4 PLC	±0.0001
ANGLES	± -

MATERIAL -

FINISH -

DWN LZH 08JAN2013

CHK HAPYE.WU 08JAN2013

APVD YH.MAO 08JAN2013

PRODUCT SPEC 108-106094

APPLICATION SPEC -

WEIGHT -

Customer Drawing

TE Connectivity

NAME
NEXT GENERATION G13.3
HEADER ASSEMBLY 2 ROW

SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A3	00779	C-1971906	-

SCALE	SHEET	OF	REV
-	2	3	A5

4		3		2		1	
THIS DRAWING IS UNPUBLISHED.		RELEASED FOR PUBLICATION		20			
© COPYRIGHT 20		BY -		ALL RIGHTS RESERVED.			

8

ADDITIONAL REQUESTS FOR P/N:
5-1971906-3, 5-1971906-5 AND 6-1971906-5:

5-1971906-3:
KEY A, NATURAL

1 3

4 6

NO PIN

5-1971906-5:
KEY A, NATURAL

1 3

4 6

NO PIN

6-1971906-5:
KEY B, BLUE

1 3

4 6

NO PIN

KEYING A

KEYING B

KEYING C

KEYING D

5

TABLE 3

2, 4, 7, 9	2-1971905-5	BLUE	B	13.2	18.6	10	6-1971906-5
2, 4, 7, 9	1-1971905-5	NATURAL	A	13.2	18.6	10	5-1971906-5
2, 5	1-1971905-3	NATURAL	A	6.6	12	6	5-1971906-3
POS NUMBER REMOVED	MATING PLUG P/N	COLOR	KEYING	N	M	POS	PART NO.

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC	±-
1 PLC	±0.5
2 PLC	±0.13
3 PLC	±0.013
4 PLC	±0.0001
ANGLES	±-

MATERIAL

-

FINISH

-

DWN
LZH

08JAN2013

CHK
HAPYE.WU

08JAN2013

APVD
YH.MAO

08JAN2013

PRODUCT SPEC
108-106094

APPLICATION SPEC
-

WEIGHT
-

Customer Drawing

TE Connectivity

NAME
NEXT GENERATION G13.3
HEADER ASSEMBLY 2 ROW

SIZE
A3

CAGE CODE
00779

DRAWING NO
C-1971906

RESTRICTED TO
-

SCALE
-

SHEET
3

OF
3

REV
A5

LOC		DIST		REVISIONS					
-		-		P	LTR	DESCRIPTION	DATE	DWN	APVD
						SEE SHEET 1			