



Specification Sheet

USB2.0 Flash Drive Handy Steno AH322





Apacer Technology Inc.

4th Fl., 75 Xintai 5th Rd., Sec.1, Hsichih, Taipei Hsien 221, Taiwan Tel: +886-2-2698-2888 Fax: +886-2-2698-2889 www.apacer.com





Table of Contents

1. Product Introduction	3
2. Product Features	3
3. Specifications	4
4. Physical Dimension	
5. Revision History	5



1. Product Introduction

Apacer's AH322 is for users that prefer personal accessories with an upscale look. With its black, baked enamel finish and transparent cap, the AH322 projects quality and a sophisticated sense of style. At the back of the drive is a hole for attaching a keychain or lanyard for easy carrying. No matter what digital files you are storing or sharing, the AH322 is a handy, yet elegant companion.

The AH322 USB drives are designed for user convenience. Insert the drive into a computer's USB port and transfer files with ease and speed. The plug-and-play USB 2.0 and USB 1.1 compliant interface is compatible with operating systems such as Windows XP/7/8, Mac OS 10.4.x or later, and Linux 2.6.x or later. Apacer AH322 USB flash drives let you bring your digital lifestyle with you wherever you go.

2. Product Features


- Plug and play
- A sophisticated sense of style
- The strap hole makes it easy to be attached
- Capacity support up to 32GB
- RoHS Compliant



3. Specifications

Specifications		
Interface	High-speed USB 2.0 certified, backwards compatible	
	with USB 1.1	
Power supply	USB bus powered	
	No external power required	
Operating Systems	Windows XP/7/8, Mac OS 10.4.x and Linux 2.6.x or	
Supported	above	
Capacity	2GB~ 32GB	
Operating Temperature	0°C to +70°C (32°F to 158°F)	
Storage Temperature	-20°C to +70°C (-4°F to +158°F)	
Dimensions	(L) 55.4 x (W) 18 x (H) 8.5 mm	
Weight	8g approx.	

4. Physical Dimension



Tolerance \pm 0.2 mm



5. Revision History

Revision	Date	History	Remark
1.0	2008/10/31	Release	
1.1	2010/9/29	Add Windows 7 support	
1.2	2012/10/04	Add 32GB density and physical dimension	
1.3	2015/07/02	Revise temperature	