

Passive module - FLKM-2KS40/PMT/SI/YCS - 2901034

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)


VARIOFACE interface module for Yokogawa I/O AAI135 and AAI835 modules.



The figure shows the version with spring-cage connection



Key Commercial Data

Packing unit	1 pc
GTIN	 4 046356 563697
GTIN	4046356563697

Technical data

Dimensions

Width	92.5 mm
Height	126 mm

Connection data for connection 1

Connection name	Field level
Connection method	Screw connection
Conductor cross section solid	0.2 mm ² ... 2.5 mm ²
Conductor cross section flexible	0.2 mm ² ... 1.5 mm ²
Conductor cross section AWG	24 ... 14
Number of connections	1
Number of positions	16

Connection data for connection 2

Connection name	Controller level
Connection method	Yokogawa KS-compatible
Torque	0.5 Nm
Number of connections	2

Passive module - FLKM-2KS40/PMT/SI/YCS - 2901034

Technical data

Connection data for connection 2

Number of positions	40
Note	Usable system cables: Phoenix Contact YUC40, Yokogawa KS1

Supported controller


Controller	YOKOGAWA CS3000 CentumVP
- suitable I/O card	AAI135
	AAI835
Controller	YOKOGAWA STARDOM
- suitable I/O card	NFAI135
	NFAI835

Environmental Product Compliance

REACH SVHC	Lead 7439-92-1
China RoHS	Environmentally Friendly Use Period = 50
	For details about hazardous substances go to tab "Downloads", Category "Manufacturer's declaration"


Drawings

Dimensional drawing



Passive module - FLKM-2KS40/PMT/SI/YCS - 2901034


Circuit diagram



Connection to AAI 835

Passive module - FLKM-2KS40/PMT/SI/YCS - 2901034

Circuit diagram



Connection to AAI 135

Approvals

Approvals

Approvals

EAC

Ex Approvals

Passive module - FLKM-2KS40/PMT/SI/YCS - 2901034

Approvals

Approval details

EAC		RU C- DE.A*30.B.01742
-----	---	--------------------------

Phoenix Contact 2018 © - all rights reserved
<http://www.phoenixcontact.com>

PHOENIX CONTACT GmbH & Co. KG
Flachsmarktstr. 8
32825 Blomberg
Germany
Tel. +49 5235 300
Fax +49 5235 3 41200
<http://www.phoenixcontact.com>