





Copyright FCI.




Pro/E File - REV C - 2009-06-09




Copyright FCI.




RECOMMENDED BEZEL CUT-OUT SINGLE SIDED APPLICATIONS



RECOMMENDED BEZEL CUT-OUT BELLY TO BELLY APPLICATIONS



MOUNTED ON PC BOARD
SHOWN THRU RECOMMENDED BEZEL





MOUNTED BELLY TO BELLY ON PC BOARD
SHOWN THRU RECOMMENDED BEZEL



spec ref	RELEASE			dr	Art Lin	2014-01-14	projection 	size	scale
tolerance std	TOLERANCES UNLESS OTHERWISE SPECIFIED			eng	Zhen Luo	2014-01-14		A4	1:1
ISO406				chr	Collins Lu	2014-01-15		ecn no	
ISO1101				appr	JEFFREY QIN	2014-01-15	product family	SFP+	rel level Released
surface	linear	0.X	±0.25				dwg no		rev
ISO1302		0.XX	±0.20						
		0.XXX	±0.15						
	angular	0°	±0.5°	www.fci.com	cat. no.	-	Product-Customer Drw		sheet 2 of 3



Pro/E File - REV C - 2009-06-09

RECOMMENDED PCB CONFIGURATION
WITH KEEP-OUT AREAS
SINGLE SIDED APPLICATIONS



RECOMMENDED PCB CONFIGURATION
WITH KEEP-OUT AREAS
BELLY TO BELLY APPLICATIONS



spec ref		RELEASE		dr	Art Lin	2014-01-14	projection 	MM 	size	scale		
tolerance std	TOLERANCES UNLESS OTHERWISE SPECIFIED			eng	Zhen Luo	2014-01-14			A4	1:1		
				chr	Collins Lu	2014-01-15			ecn no			
ISO406				appr	JEFFREY QIN	2014-01-15	product family	SFP+	rel level	Released		
ISO1101												
surface 	linear	0.X	±0.25		title	SFP+ 1X4 CAGE ASSEMBLY EMI SPRING TYPE PRESS FIT WITH HEATSINK			dwg no	10126910		rev
		0.XX	±0.20									
		0.XXX	±0.15									
	ISO1302	angular	0°	±0.5°	www.fci.com	cat. no.	-	Product-Customer Drw			sheet 3 of 3	

Pro/E File - REV C - 2009-06-09