

4

3

2

1

THIS DRAWING IS UNPUBLISHED.										RELEASED FOR PUBLICATION SEP ,2005.										LOC		DIST		REVISIONS																	
COPYRIGHT 2005 By -										ALL RIGHTS RESERVED.														変更		DATE		DWN		APVD											
																								DESCRIPTION																	
																								REVISED PER ECR-11-006365		28MAR2011		A.L		S.Y											
1 CONTACT COPLANALITY IS 0.1 MAX. THIS DIMENSION MEANS CENTER OF THE POCKET. M3 TAPPING + BVTP RECOMMENDED TORQUE: 68.6N (7Kgf) MAX. FINISH CONTACT: V μm MIN. Au PL. ON CONTACT AREA (V: SEE TABLE) 0.03~0.1 μm Au PL. ON TERMINAL AREA Ni UNDER PL. ALL OVER SHELL: Sn PL. (MATTE) ALL OVER Ni UNDER PL. ALL OVER SCREW SIZE QTY PRINT ON THE LABEL. (EMBOSS PACKING)										1 コンタクトコプラナリティーは 0.1 以下。 本寸法はポケットの中心を表す。 M3 TAPPING + BVTP 推奨トルク: 68.6N (7Kgf) 以下。 仕上 コンタクト: コンタクトエリアに V μm 以上の 金めっき (V: 表参照) ターミナルエリアに 0.03~0.1 μm の金めっき ニッケル下地めっきを施す シェル: すずめっき (つや消し) ニッケル下地めっきを施す スクリューサイズ 数量はラベルに印字される (EMBOSS 梱包)																															
0.3	-	70	1.9	-	-	-	-	33.5	37.5	9.32	0.4	32	28.4	14.2	16	WITHOUT TAPE	WITHOUT FLANGE	THROUGH HOLE	(SEE SHEET 2)	SOFT TRAY (SEE SHEET 11)	6-1903015-3																				
0.76	M3 x 0.5	70	1.9	46	138	6-23	46	-	-	-	-	-	-	-	-	WITH TAPE	WITH FLANGE	THROUGH HOLE	(SEE SHEET 3)	SOFT TRAY (SEE SHEET 7)	9-1903015-4																				
0.3	M3 x 0.5	200	1.9	-	-	-	-	45.5	49.5	18.3	0.5	44	40.4	20.2	20	WITH TAPE	WITH FLANGE	THROUGH HOLE	(SEE SHEET 3)	EMBOSS (SEE SHEET 6)	9-1903015-3																				
0.3	M3 x 0.5	70	1.9	-	-	-	-	-	-	-	-	-	-	-	-	WITHOUT TAPE	WITH FLANGE	THROUGH HOLE	(SEE SHEET 3)	SOFT TRAY (SEE SHEET 10)	8-1903015-4																				
0.1	-	550	1.9	-	-	-	-	33.5	37.5	9.32	0.4	32	28.4	14.2	16	WITHOUT TAPE	WITHOUT FLANGE	THROUGH HOLE	(SEE SHEET 2)	EMBOSS (SEE SHEET 6)	7-1903015-1																				
0.3	M3 x 0.5	200	1.9	-	-	-	-	45.5	49.5	18.3	0.5	44	40.4	20.2	20	WITHOUT TAPE	WITH FLANGE	FULL SMT	(SEE SHEET 5)	EMBOSS (SEE SHEET 6)	5-1903015-9																				
0.3	-	550	0.8	-	-	-	-	33.5	37.5	9.32	0.4	32	28.4	14.2	16	WITHOUT TAPE	WITHOUT FLANGE	THROUGH HOLE	(SEE SHEET 2)	EMBOSS (SEE SHEET 6)	5-1903015-5																				
0.3	M3 x 0.5	70	1.9	46	138	6-23	46	-	-	-	-	-	-	-	-	WITHOUT TAPE	WITH FLANGE	THROUGH HOLE	(SEE SHEET 3)	SOFT TRAY (SEE SHEET 7)	5-1903015-4																				
0.3	M3 x 0.5	200	1.9	-	-	-	-	45.5	49.5	18.3	0.5	44	40.4	20.2	20	WITHOUT TAPE	WITH FLANGE	THROUGH HOLE	(SEE SHEET 3)	EMBOSS (SEE SHEET 6)	5-1903015-3																				
0.3	φ2.65±0.3	70	1.9	46	138	6-23	46	-	-	-	-	-	-	-	-	WITHOUT TAPE	WITH FLANGE	THROUGH HOLE	(SEE SHEET 3)	SOFT TRAY (SEE SHEET 7)	5-1903015-2																				
0.3	-	400	1.9	-	-	-	-	33.5	37.5	9.32	0.4	32	28.4	14.2	16	WITHOUT TAPE	WITHOUT FLANGE	THROUGH HOLE	(SEE SHEET 2)	EMBOSS (SEE SHEET 6)	5-1903015-1																				
0.3	M3 x 0.5	70	1.0	46	138	6-23	46	-	-	-	-	-	-	-	-	WITHOUT TAPE	WITH FLANGE	THROUGH HOLE	(SEE SHEET 3)	SOFT TRAY (SEE SHEET 7)	4-1903015-1																				
0.76	-	400	1.2	-	-	-	-	33.5	37.5	9.32	0.4	32	28.4	14.2	16	WITHOUT TAPE	WITHOUT FLANGE	THROUGH HOLE	(SEE SHEET 2)	EMBOSS (SEE SHEET 6)	2-1903015-2																				
0.76	M3 x 0.5	70	1.9	-	-	-	-	-	-	-	-	-	-	-	-	WITHOUT TAPE	WITH FLANGE	THROUGH HOLE	(SEE SHEET 3)	SOFT TRAY (SEE SHEET 9)	1903015-8																				
0.76	φ2.65±0.3	70	1.9	-	-	-	-	-	-	-	-	-	-	-	-	WITHOUT TAPE	WITH FLANGE	THROUGH HOLE	(SEE SHEET 3)	SOFT TRAY (SEE SHEET 9)	1903015-7																				
0.76	M3 x 0.5	50	1.9	54.4	120	4-30	54.4	-	-	-	-	-	-	-	-	WITHOUT TAPE	WITH FLANGE	THROUGH HOLE	(SEE SHEET 3)	SOFT TRAY (SEE SHEET 9)	1903015-5																				
0.76	M3 x 0.5	70	1.9	46	138	6-23	46	-	-	-	-	-	-	-	-	WITHOUT TAPE	WITH FLANGE	THROUGH HOLE	(SEE SHEET 4)	SOFT TRAY (SEE SHEET 8)	1903015-4																				
0.76	M3 x 0.5	200	1.9	-	-	-	-	45.5	49.5	18.3	0.5	44	40.4	20.2	20	WITHOUT TAPE	WITH FLANGE	THROUGH HOLE	(SEE SHEET 4)	EMBOSS (SEE SHEET 6)	1903015-3																				
0.76	φ2.65±0.3	70	1.9	46	138	6-23	46	-	-	-	-	-	-	-	-	WITHOUT TAPE	WITH FLANGE	THROUGH HOLE	(SEE SHEET 3)	SOFT TRAY (SEE SHEET 7)	1903015-2																				
0.76	-	400	1.9	-	-	-	-	33.5	37.5	9.32	0.4	32	28.4	14.2	16	WITHOUT TAPE	WITHOUT FLANGE	THROUGH HOLE	(SEE SHEET 2)	EMBOSS (SEE SHEET 6)	1903015-1																				
V	U	T	AA	S	R	P	N	M	L	K	J	H	G	F	E	POLYIMIDE TAPE	FLANGE	SHELL TYPE	CONNECTOR	PACKING	PART NUMBER																				
Au PL.	SCREW SIZE	QTY	DIMENSION													PART LIST																									
THIS DRAWING IS A CONTROLLED DOCUMENT.																DWN R.MURAYAMA 26SEP2005		TE Connectivity																							
DIMENSIONS: 単位: 概 mm																CHK T.KIMURA 26SEP2005		NAME 名称																							
TOLERANCES UNLESS OTHERWISE SPECIFIED: 一般公差																APVD T.KIMURA 26SEP2005		HDMI 19 POS RECEPTACLE ASSY SMT SHORT TYPE																							
0 PLC ±																PRODUCT SPEC 製品規格		SIZE CAGE CODE DRAWING NO 番号																							
1 PLC ±																APPLICATION SPEC 取付適用規格		A3 00779 C=1903015																							
2 PLC ±																WEIGHT		RESTRICTED TO																							
3 PLC ±																CUSTOMER DRAWING		SCALE 4:1 SHEET 1 OF 12 REV R																							
4 PLC ±																																									
FINISH 仕上																																									
MATERIAL 材料																																									

4

3

2

1

THIS DRAWING IS UNPUBLISHED.



RELEASED FOR PUBLICATION

SEP, 2005.




© COPYRIGHT 2005 By -

ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS			DATE	DWN	APVD
		P	LTR	DESCRIPTION			
-	-	-	-	SEE SHEET 1	-	-	-




PANEL CUT OUT DIMENSION (REFERENCE)



P.C.B LAYOUT (REFERENCE)
SHOWN AS CONNECTOR MOUNTING SIDE
TOLERANCE: NON-CUMULATIVE

BRASS	CONTACT	(3)
PHOSPHOR BRONZE	SHELL	(2)
GLASS FILLED LCP UL94V-0, BLACK COLOR	HOUSING	(1)
MATERIAL	DESCRIPTION	ITEM

CONNECTOR: WITHOUT FLANGE THROUGH HOLE TYPE



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN		TE Connectivity HDMI 19 POS RECEPTACLE ASSY SMT SHORT TYPE		NAME 名称		
DIMENSIONS: 单位: 毫米		CHK				SIZE		CAGE CODE
TOLERANCES UNLESS OTHERWISE SPECIFIED: 一般公差		APVD				DRAWING NO 番号		RESTRICTED TO
0 PLC ± 1 PLC ± 2 PLC ± 3 PLC ± 4 PLC ± ANGLES ± MATERIAL 材料 FINISH 仕上		PRODUCT SPEC 製品规格				A3 00779		C=1903015
		APPLICATION SPEC 取付適用规格		WEIGHT		CUSTOMER DRAWING		
		SCALE 尺度 4:1		SHEET 2 OF 12		REV R		

4

3

2

1

THIS DRAWING IS UNPUBLISHED.



RELEASED FOR PUBLICATION

SEP, 2005.




© COPYRIGHT 2005 By -

ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS			DATE	DWN	APVD
		P	LTR	DESCRIPTION			
-	-	-	-	SEE SHEET 1	-	-	-



PANEL CUT OUT DIMENSION (REFERENCE)

P.C.B LAYOUT (REFERENCE)
SHOWN AS CONNECTOR MOUNTING SIDE
TOLERANCE: NON-CUMULATIVE



POLYIMIDE	TAPE	(4)
BRASS	CONTACT	(3)
PHOSPHOR BRONZE	SHELL	(2)
GLASS FILLED LCP UL94V-0, BLACK COLOR	HOUSING	(1)
MATERIAL	DESCRIPTION	ITEM

CONNECTOR: WITH FLANGE THROUGH HOLE TYPE




THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN		TE Connectivity	
CHK		NAME			
APVD		PRODUCT SPEC		HDMI 19 POS RECEPTACLE ASSY SMT SHORT TYPE	
APPLICATION SPEC		WEIGHT		RESTRICTED TO	
CUSTOMER DRAWING		SCALE 4:1		SHEET 3 OF 12	

DIMENSIONS: 單位: 毫米 mm	TOLERANCES UNLESS OTHERWISE SPECIFIED: 一般公差	SIZE	CAGE CODE	DRAWING NO	REV
0 PLC ±	1 PLC ±	A3	00779	C=1903015	R
2 PLC ±	3 PLC ±				
4 PLC ±	ANGLES ±				
MATERIAL 材料	FINISH 仕上				

LOC —	DIST —	REVISIONS 変更					
		P	LTR	DESCRIPTION	DATE	DWN	APV
			—	SEE SHEET 1	—	—	—




PANEL CUT OUT DIMENSION (REFERENCE)



P.C.B LAYOUT (REFERENCE)
SHOWN AS CONNECTOR MOUNTING SIDE
TOLERANCE: NON-CUMULATIVE

POLYIMIDE	TAPE	④
BRASS	CONTACT	③
PHOSPHOR BRONZE	SHELL	②
GLASS FILLED LCP UL94V-0, BLACK COLOR	HOUSING	①
MATERIAL	DESCRIPTION	ITEM



CONNECTOR: WITH FLANGE THROUGH HOLE TYPE

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN		 TE Connectivity	
		CHK			
DIMENSIONS: 單位: 英 mm		TOLERANCES UNLESS OTHERWISE SPECIFIED: 一般公差		NAME 名稱	
		APVD		HDMI 19 POS RECEPTACLE ASSY	
		PRODUCT SPEC 製品規格		SMT SHORT TYPE	
		APPLICATION SPEC 取付適用規格			
0 PLC ± 1 PLC ± 2 PLC ± 3 PLC ± 4 PLC ± ANGLES ± MATERIAL 材料 FINISH 仕上		WEIGHT		SIZE	CAGE CODE
		CUSTOMER DRAWING		DRAWING NO 番号 A3 00779 C-1903015	
				RESTRICTED —	
				SCALE 原尺 4:1	SHEET 4 OF 12
				REV	

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION



SEP, 2005.

© COPYRIGHT 2005 By --


ALL RIGHTS RESERVED.

1903015-1, 2-1903015-2, 5-1903015-1
5-1903015-5, 7-1903015-1; AS SHOWN

LOC	DIST	REVISIONS			DATE	DWN	APVD
		P	LTR	DESCRIPTION			
				SEE SHEET 1			



B-B




SEE DETAIL A

WEEDING THE COVER TAPE: 300 MIN
(NOT INCLUDE EMPTINESS POCKET)


PELLING ANGLE: 165°~180°
PEELING STRENGTH:
0.1~0.7N (300mm/min.)

PLASTIC REEL
PULL OUT DIRECTION


CARRIER TAPE



5-1903015-3; AS SHOWN
(SCALE 1:1)




DETAIL A




B-B

5-1903015-9; AS SHOWN
(SCALE 1:1)




DETAIL A




B-B

9-1903015-3; AS SHOWN
(SCALE 1:1)




DETAIL A




B-B

1903015-3; AS SHOWN
(SCALE 1:1)



DETAIL A



B-B




LABEL DESCRIPTION

TYCO P/N: *-1903015-*
QTY: * pcs
D/C:
MADE IN CHINA

PET	COVER TAPE
PS	CARRIER TAPE
PLASTIC	REEL
MATERIAL	DESCRIPTION

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: 單位: 毫米 mm	TOLERANCES UNLESS OTHERWISE SPECIFIED: 一般公差
0 PLC	±
1 PLC	±
2 PLC	±
3 PLC	±
4 PLC	±
ANGLES	±
FINISH 仕上	

MATERIAL
材料

DWN	CHK	APVD	PRODUCT SPEC 製品規格	APPLICATION SPEC 取付適用規格	WEIGHT	CUSTOMER DRAWING
-----	-----	------	----------------------	----------------------------	--------	------------------



TE Connectivity

HDMI 19 POS RECEPTACLE ASSY
SMT SHORT TYPE

SIZE	CAGE CODE	DRAWING NO 番号	RESTRICTED TO
A3	00779	C=1903015	

SCALE 尺度	SHEET	REV
4:1	6 OF 12	R

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION





SEP, 2005.

© COPYRIGHT 2005 By -

ALL RIGHTS RESERVED.

1903015-2, 1903015-5, 4-1903015-1, 5-1903015-2, 5-1903015-4
8-1903015-4, 9-1903015-4; AS SHOWN

LOC	DIST	REVISIONS			
		P	LTR	DATE	DWN
-	-	-	-	SEE SHEET 1	-



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN		CHK	
DIMENSIONS: 單位: 毫米 mm		TOLERANCES UNLESS OTHERWISE SPECIFIED: 一般公差		APVD	
0 PLC ±		1 PLC ±		PRODUCT SPEC 製品規格	
2 PLC ±		3 PLC ±		APPLICATION SPEC 取付適用規格	
4 PLC ±		FINISH 仕上		WEIGHT	
MATERIAL 材料		CUSTOMER DRAWING		SCALE 尺度 4:1	
NAME 名称		SIZE A3		CAGE CODE 00779	
DRAWING NO 番号		DRAWING NO 番号		RESTRICTED TO	
HDMI 19 POS RECEPTACLE ASSY SMT SHORT TYPE		DRAWING NO 番号		REV R	
PS MATERIAL		TRAY DESCRIPTION		SHEET 7 of 12	

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION




SEP ,2005.

© COPYRIGHT 2005 By --


ALL RIGHTS RESERVED.

1903015-4; AS SHOWN

LOC	DIST	REVISIONS				DATE	DWN	APVD
		P	LTR	DESCRIPTION	變更			
--	--	--	--	SEE SHEET 1		--	--	--

DETAIL C
(SCALE 2:1)D-D
(SCALE 2:1)

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
單位: 毫米
mmMATERIAL
材料TOLERANCES UNLESS
OTHERWISE SPECIFIED:
一般公差0 PLC ±
1 PLC ±
2 PLC ±
3 PLC ±
4 PLC ±
ANGLES ±
FINISH
仕上

DWN

CHK

APVD

PRODUCT SPEC

製品規格

APPLICATION SPEC

取付適用規格

WEIGHT

CUSTOMER DRAWING



TE Connectivity

HDMI 19 POS RECEPTACLE ASSY
SMT SHORT TYPE

SIZE

A3

CAGE CODE

00779

DRAWING NO

C=1903015

RESTRICTED TO

SCALE
尺度 4:1SHEET
8 of 12REV
R

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION





SEP ,2005.

© COPYRIGHT 2005 By -


ALL RIGHTS RESERVED.

1903015-7, 1903015-8; AS SHOWN

LOC	DIST	REVISIONS				DATE	DWN	APVD
		P	LTR	変更	DESCRIPTION			
-	-	-	-	SEE SHEET 1		-	-	-

DETAIL C
(SCALE 2:1)

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
単位: 話
mmMATERIAL
材料TOLERANCES UNLESS
OTHERWISE SPECIFIED:
一般公差0 PLC $\pm$
1 PLC $\pm$
2 PLC $\pm$
3 PLC $\pm$
4 PLC $\pm$
ANGLES $\pm$ FINISH
仕上

DWN

CHK

APVD

PRODUCT SPEC
製品規格APPLICATION SPEC
取付適用規格

WEIGHT

CUSTOMER DRAWING



TE Connectivity

HDMI 19 POS RECEPTACLE ASSY
SMT SHORT TYPE

SIZE

A3

CAGE CODE

00779

DRAWING NO

C=1903015

RESTRICTED TO

R

SCALE
尺度 4:1

SHEET

9 of 12

REV

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

SEP, 2005.

© COPYRIGHT 2005 By -

ALL RIGHTS RESERVED.

LOC

DIST

REVISIONS

變更

DESCRIPTION

DATE

DWN

APVD

P

LTR

SEE SHEET 1

8-1903015-4; AS SHOWN

D

D

C


C

B


B

A

A





TRAY A




TRAY B

TRAY B (EMPTY)



THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
單位: 毫米MATERIAL
材料TOLERANCES UNLESS
OTHERWISE SPECIFIED:
一般公差

0	PLC	±
1	PLC	±
2	PLC	±
3	PLC	±
4	PLC	±
ANGLES		±
FINISH		仕上

FINISH
仕上

DWN

CHK

APVD

PRODUCT SPEC
製品規格APPLICATION SPEC
取付適用規格

WEIGHT

CUSTOMER DRAWING

NAME
名称

TE Connectivity

HDMI 19 POS RECEPTACLE ASSY
SMT SHORT TYPE

SIZE

CAGE CODE

DRAWING NO
番号

A3

00779

C=1903015

RESTRICTED TO

SCALE
尺度 4:1

SHEET

10 OF 12

REV

R

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

SEP ,2005.

© COPYRIGHT 2005 By --

ALL RIGHTS RESERVED.

LOC

DIST

REVISIONS

変更

DESCRIPTION

DATE

DWN

APVD

P

LTR

SEE SHEET 1

--

--

--

PLUG CONNECTOR

RECEPTACLE
CONNECTOR
WITHOUT FLANGE TYPE

2 MAX

1.6 REF

2 MIN

SCREW

PLUG CONNECTOR

RECEPTACLE
CONNECTOR
WITH FLANGE TYPE

2 MAX

1.6 REF

2 MIN

MAX
ø6MATING CONDITION (REFERENCE)
(SCALE 2:1)

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN

CHK

APVD

PRODUCT SPEC

製品規格

APPLICATION SPEC

取付適用規格

WEIGHT

CUSTOMER DRAWING

TE

TE Connectivity

NAME
名称HDMI 19 POS RECEPTACLE ASSY
SMT SHORT TYPE

SIZE

CAGE CODE

DRAWING NO

番号

C=1903015

RESTRICTED TO


SCALE
尺度 4:1

SHEET

11 OF 12

REV

R

DIMENSIONS:
単位: 話
mmTOLERANCES UNLESS
OTHERWISE SPECIFIED:
一般公差0 PLC ±
1 PLC ±
2 PLC ±
3 PLC ±
4 PLC ±
ANGLES ±FINISH
仕上MATERIAL
材料

4

3

2

1

THIS DRAWING IS A CONTROLLED DOCUMENT.

NOT RELEASED FOR PUBLICATION

SEP, 2005.

COPYRIGHT 2005, By --

ALL RIGHTS RESERVED.

LOC

DIST

REVISIONS

P LTR

DESCRIPTION





DATE

DWN


APVD

SEE SHEET 1


P/N:6-1903015-3



TRAY B (EMPTY)



THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
單位: 毫米TOLERANCES UNLESS
OTHERWISE SPECIFIED:
一般公差0 PLC ±
1 PLC ±
2 PLC ±
3 PLC ±
4 PLC ±
ANGLES ±MATERIAL
材料FINISH
仕上

DWN

CHK

APVD

PRODUCT SPEC
製品規格APPLICATION SPEC
取付適用規格

WEIGHT

CUSTOMER DRAWING

TE

TE Connectivity

HDMI 19 POS RECEPTACLE ASSY
SMT SHORT TYPENAME
名称

SIZE

CAGE CODE

DRAWING NO
番号

A300779C-1903015

RESTRICTED TO

REV

R

SCALE
尺度 4:1

SHEET

12 OF 12

REV

R