



LOC	DIST	REVISIONS				
AF	50	P	LTR	DESCRIPTION	DATE	DWN
			A	DRAWN	21JUL05	JR
						APVD
						EH

- 1 OPERATION TEMPERATURE IS 105° C MAX.
- 2 RETENTION FORCE – 16 OUNCES MIN INITALLY.
6 OUNCES MIN AFTER 500 CYCLES.
- 3 REFER TO MOUNTING HOLE PATTERN.
- △ .175 MAX TO BE MEASURED ACROSS THE CUT-OFF TABS.



NYLON 6/6; GREEN		BRASS – TIN / NICKEL		3–521801–5	
HOUSING – MATERIAL; COLOR		RECEPTACLE – MATERIAL; FINISH		PART NUMBER	
THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN JR RUTH 21JUL05	<div>tyco</div> <div>Electronics</div> <div>Tyco Electronics Corporation</div> <div>Harrisburg, Pa 17105–3608</div>		
DIMENSIONS: <div>INCHES</div> <div></div>		CHK E. HOWARD 21JUL05			
		APVD E. HOWARD 21JUL05			
TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME	ASSEMBLY, TEST PROBE		
0 PLC ± –		PRODUCT SPEC	–		
1 PLC ± –		–	–		
2 PLC ± .015		APPLICATION SPEC	–		
3 PLC ± –		–	–		
4 PLC ± –		–	–		
ANGLES ± ±		WEIGHT	SIZE		RESTRICTED TO
MATERIAL	FINISH	–	CAGE CODE		–
SEE TABLE	SEE TABLE		DRAWING NO		
		CUSTOMER DRAWING	A2 00779		
			G=521801		
			SCALE	SHEET	REV
			6:1	1 OF 1	A