EA-21842-052


SHT I.I

NOTE:

I. INCREASED PRESSURE AT THE SOUND INLET CAUSES A POSITIVE GOING VOLTAGE TO APPEAR AT THE OUTPUT TERMINAL, RELATIVE TO THE NEGATIVE TERMINAL.

2

LOCATED FROM TWO SURFACES FOR CUSTOMER CONVENIENCE. ONLY APPLICABLE FROM ONE SURFACE, NOT TO BE USED TOGETHER. HORIZONTAL LOCATION FOR TERMINAL CENTERED TO ± 0.17 [.007].



I,60±0,05 つ [.063±.005] $-2,77\pm0,05$


→ 5,56±0,02

 $[.219\pm.001]$

 $[.109\pm.002]$

 3.99 ± 0.02

 $[.157\pm.001]$



DIMENSIONS IN MILLIMETERS [INCHES]

KNOWLES ELECTRONICS ITASCA, ILLINOIS U.S.A.


.I3 GRAM

Revision	C.O. #	Implementation Date	RELEASE LEVEL		REVISION
A	M10101315	11-23-06	Released		A
SCALE:	E: 2:1		DR. BY	DATE	
DO NOT SCALE DRAWING					11-23-06 DATE
TITLE:	MIC	ROPHONE	EA-21842-052	GJP APP. BY	12-8-06 DATE
	OUTL	INE DRAWING	SHT I.I	GJP	12-8-06

KEIIIASIZE.FRM

Rev: B





-56.0

NOTES:

I. CASE CONNECTED TO NEGATIVE TERMINAL.

1000

 \approx 4800

2. MICROPHONE TO BE FUNCTIONAL WITH 10 VDC SUPPLY.

-62.0

- 3. CONFORMS TO REQUIREMENTS SHOWN ON 'ELECTRET MICROPHONE ENVIRONMENTAL QUALIFICATION TEST, SHEET 2.2'.
- 4. CAPACITANCE MEASUREMENT MADE WITH BOONTON MODEL 7200 OR EQUIVALENT WITH APPLIED AC VOLTAGE OF 15 mVOLTS AT 1 MHz AND 0 VDC. INCLUDES CIRCUIT CAPACITANCE IN PARALLEL WITH CAPACITOR.

-59.0

-54.5

	PORT D LOCATION SUP	DC	C AMPLIFIER CURRENT DRAIN	SENSITIVITY CHANGE ON REDUCING SUPPLY TO 0.9VDC	"A" WEIGHTED NOISE	OUTPUT	IMPEDANCE OHMS		CAPACITANCE ±50%	
		SUPPLY			(kHz EQUIV. SPL)	MIN.	NOM.	MAX.	I - 2	I - 3
	128	1.3V	50 uA MAX.	3 dB MAX.	28.5 dB MAX.	2000	3500	6000	N A	NA

	Revision	C.O. #	Implementation Date	RELEASE LEVEL	REVISION
				l Released	Ι Δ Ι
	А	M10101315	11-23-06	Nordada	
_					

-||.0

0.0

+ | . 5

-4.0

0.0

+7.5

KNOWLES ELECTRONICS ITASCA, ILLINOIS U.S.A.

WHEN TEST LIMITS ARE USED TO ESTABLISH INCOMING INSPECTION ACCEPTANCE/REJECTION DR. BY CRITERIA, CORRELATION OF TEST EQUIPMENT WITH KNOWLES IS ALSO REQUIRED FOR ELIMINATION OF EQUIPMENT AND TEST METHOD VARIATION

LSY

MICROPHONE

PERFORMANCE SPECIFICATION

	LOI	11-52-00	
	CK. BY	DATE	
EA-21842-052	GJP	12-8-06	
LN 21012 002	APP. BY	DATE	
SHT 2.1	GIP	12-8-06	

DATE