		I				
NOTES:		THIRD ANGLE	proj. 🕀 🖯		REVISIONS	
I. MATERIALS AND FINISHES:			REV	DESCRIPTION RELEASE TO MFG	<u>.</u>	DATE ECO APPR 6/15/16 01061 KCE
INNER CONDUCTOR - BERYLLIUM COPPER, WHITE BRONZE PLATING OUTER CONDUCTOR - BRASS, WHITE BRONZE PLATING			A).	0713710 01001 NCL
NUT - BRASS, WHITE BRONZE PLATING						
INSULATOR - PTFE, NATURAL						
2. ELECTRICAL: A. IMPEDANCE: 50 OHM						
B. FREQUENCY RANGE: DC - 6 GHz						
C. VSWR: ≤ I.05 (DC-3GHz) ≤ I.15 (DC 3-6GHz)						
D. INSERTION LOSS: ≤ 0.05 (3GHz) E. DWS: 2500V						
F. INTERMODULATION: \leq -166 dBc (2 X 43 dBm)						(Y))
3. MECHANICAL:						
A. DURABILITY: 500 CYCLES MIN. B. TEMPERATURE RANGE: -40°C TO +85°C	-	45				
5. PACKAGING: A. QUANTITY: SINGLE PACK						
B. MARKING: BAG TO BE MARKED						
"AMPHENOL RF, AD-4310PNP-1, AND DATE CODE"			/	~		
				-1		
				-\		
			X			
		_		N I		
	N HEX			I 9 ON HEX		
	I4 ACROSS FLATS					
					GARE FOR INTERNAL L	
<0.5mm 0.5 - 6mm 6 - 30mm 30 - 120mm ANGLES		DRAWN K. ELMES	DATE TITL 04-May-16		Amnh	nenol RF
$\frac{\pm 0.05 \text{mm}}{\text{NOTICE}} \pm 0.1 \text{mm} \qquad \pm 0.2 \text{mm} \qquad \pm 10^{\circ}$		ENGINEER	4.3/	IO PLUG TO N PLU	· ·	
property of Amphenol corp. (2) must be returned upon request; and (3) are confidential and not to be disclosed to any person other than those to whom they		K. ELMES	04 - May - 16		www.am	ohenolrf.com
are given by Amphenol Corp. the turnishing of these drawings, specifications, or other data by Amphenol Corp., or to any other person to anyone for any purpose is		APPROVED	DATE		DRAWING NO.AD	-4310PNP-1
rights to permitting such holder of any there person to manufacture, use or soll any		K. CAPOZZI	6/15/16 SCALE:	I.O:I.O SHEET 2 OF 2	ITEM NO.AD-43	IOPNP-I
or disclosed by said drawings, specifications, or other data.	INISH	CAD FILE		dwg size rev B A	PART NO.AD-43	