







LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
			-	SEE SHEET I	-	-	-




1 POSITION
RECOMMENDED PAD LAYOUT
SCALE 8:1




3 POSITION
RECOMMENDED PAD LAYOUT
SCALE 8:1






2 POSITION
RECOMMENDED PAD LAYOUT
SCALE 8:1



4 POSITION
RECOMMENDED PAD LAYOUT
SCALE 8:1


THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN 09DEC2008 C DAILY CHK J DYER 09DEC2008 APVD -		 TE Connectivity					
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ±. 1 PLC ±0.5 2 PLC ±0.13 3 PLC ±. 4 PLC ±. ANGLES ±. ±.		NAME ASSEMBLY, IDC SSL CONNECTOR, SMT, PASS THRU					
		PRODUCT SPEC 108-2404 APPLICATION SPEC 114-13266		SIZE A2		CAGE CODE 00779	DRAWING NO C-2106431	RESTRICTED TO -	
MATERIAL - material-2		FINISH - finish_spec-2		WEIGHT -					
Customer Drawing						SCALE 8:1	SHEET 1	OF 3	REV C

LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
			-	SEE SHEET I	-	-	-



SECTION X-X

2106431-2 SHOWN IN POCKET TAPE

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN 09DEC2008 C DAILY CHR J DYER 09DEC2008 APVD -		 TE Connectivity	
DIMENSIONS: mm 		TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ±. 1 PLC ±0.5 2 PLC ±0.13 3 PLC ±. 4 PLC ±. ANGLES ±.		NAME ASSEMBLY, IDC SSL CONNECTOR, SMT, PASS THRU	
MATERIAL - material_2		PRODUCT SPEC 108-2404 APPLICATION SPEC 114-13266 WEIGHT -		SIZE A2	CAGE CODE 00779
finish_spec_2		DRAWING NO C-2106431		RESTRICTED TO -	
Customer Drawing				SCALE 8:1	SHEET OF 3
				REV C	