
PRODUCT DATA DRAWING



MATERIAL:


- HEX SHAFT: STAINLESS STEEL PER ASTM A564, ALLOY UNS S17400, TYPE 630, COND. A
- GUIDE PIN: STAINLESS STEEL PER AMS-5640, ALLOY UNS S30300, TYPE 1

FINISH:

- HEX SHAFT: NICKEL PER SAE AMS 2404, CLASS 1
- GUIDE PIN: PASSIVATED PER AMS-2700

MATERIAL:	SEE NOTES	DIMENSIONS ARE IN INCHES TOLERANCES: FRACTIONAL: ±1/64 ANGULAR: X° ±1°0'	UNLESS C
FINISH:	SEE NOTES	X°X' ±15' DECIMAL: .X ±.030 .XX ±.010	1) ALL DIMENSIONS 2) ALL DIMENSIONS 3) BREAK CORNERS 4) CHAM, 1ST & LAS
SURFACE AREA: N/A		.XXX ±.005	5) SURFACE ROUGH 6) DIA.'S ON COMMO WITHIN .005 T.I.R. 7) REMOVE ALL BUR
PROPRIETARY		PER ASME Y14.5M - 1994	1)112110121122001
	ION CONTAINED IN THIS DRAWING	THIRD ANGLE PROJECTION	DRAWN:
ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF			CHECKED
	, INC IS PROHIBITED.		APPROVE

REVISION HISTORY							
REV	DESCRIPTION	DATE	APPROVED				
-	DCN 38042	03/11	STW				
-	•						



OTHERWISE SPECIFIED		SV Microwave, Inc.				
NS ARE IN INCHES [MILLIMETERS] NS ARE AFTER PLATING. RS & EDGES .005 R. MAX. AST THREADS. GINHESS 63-MIL-STD-10. MON CENTERS TO BE CONCENTRIC IR. JURRS		2400 Centrepark West Drive, Suite 100 West Palm Beach, FL 33409				
		SMPM FD MALE SHROUD DRIVER				
	FED 03/01/11	0175				
D:	STW 03/01/11	SIZE B	95077	DWG. NO.	500-32	-008
ED:	STW 03/01/11	S	CALE: 3:1			SHEET 1 OF 1