





LOC H	DIST -	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
			2	ADD HOLE IN CORNER	02SEP2016	SS	AL
			A	DRAWING RELEASED	24APR2017	VL	SS
			A1	REVISED PER ECO-17-007644	26MAY2017	VL	SS
			A2	REVISED PER ECO-17-013857	21SEP2017	SS	HL



SCALE 2:1

NOTES:

- 1 MATERIAL: 0.20mm CRS. 1,25 - 3.00µm MATTE TIN FINISH.
- 2 STAMPING BURR OUTSIDE OF PART, MAX 0.05mm.
- 3 PARTS TO BE FREE OF OIL AND CONTAMINENTS.
- 4 PART IS RoHS COMPLIANT PER TE CONNECTIVITY STANDARD TEC-138-702.
- 5 REFER TO 3D MODEL FOR UNSPECIFIED DIMENSIONS.
- 6 PACKAGING: TAPE AND REEL



6	2118722-2
PACKAGING	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT. DIMENSIONING AND TOLERANCING PER ASME Y14.5M-2009.		DWN S. SU 05-APR-16	 TE Connectivity		
DIMENSIONS: mm		CHK V. LAC 24APR2017			
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD V. LAC 24APR2017	NAME STANDARD SHIELD FRAME		
0 PLC ±0.2 1 PLC ±0.15 2 PLC ±0.10 3 PLC ± 4 PLC ± ANGLES ±2°		PRODUCT SPEC 108-19493	SIZE A3		
MATERIAL 1 -		APPLICATION SPEC 114-115014	CAGE CODE 00779		
FINISH 1 -		WEIGHT -	DRAWING NO C-2118722		
CUSTOMER DRAWING		SCALE 1:1		SHEET 1	OF 3
				REV A2	

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

© COPYRIGHT - BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

LOC

DIST

REVISIONS

P

LTR

DESCRIPTION

DATE

DWN

APVD

-

SEE SHEET 1

-

-

-

RECOMMENDED BOARD
FOOT PRINT LAYOUT

SCALE 4:1

NOTES:

7. STENCIL THICKNESS: 0.10mm MIN.

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN S. SU 05-APR-16

CHK V. LAC 24APR2017

APVD V. LAC 24APR2017

PRODUCT SPEC

108-19493

APPLICATION SPEC

114-115014

WEIGHT

-

CUSTOMER DRAWING



TE Connectivity

NAME

STANDARD SHIELD FRAME

SIZE

CAGE CODE

DRAWING NO

RESTRICTED TO

A3

00779

C-2118722

-

SCALE

1:1

SHEET

2

OF


3

REV

A2

DIMENSIONS:

mm



TOLERANCES UNLESS
OTHERWISE SPECIFIED:

0 PLC ±0.2
1 PLC ±0.15
2 PLC ±0.10
3 PLC ±
4 PLC ±
ANGLES ±2°



MATERIAL

-



FINISH

-

LOC	DIST	REVISIONS				
		P	LTR	DESCRIPTION	DATE	APVD
H	-		-	SEE SHEET 1	-	-




USER DIRECTION
OF UNREELING



NOTES:

- REEL SIZE: O.D. 380mm, I.D. 180mm
- QTY PER REEL: 216PCS

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN S. SU 05-APR-16		 TE Connectivity					
DIMENSIONS: mm		CHK V. LAC 24APR2017		NAME STANDARD SHIELD FRAME ----					
		APVD V. LAC 24APR2017							
		TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ±0.2 1 PLC ±0.15 2 PLC ±0.10 3 PLC ± 4 PLC ± ANGLES ±2°		PRODUCT SPEC 108-19493		SIZE A3 CAGE CODE 00779 DRAWING NO C-2118722		RESTRICTED TO -	
MATERIAL -		APPLICATION SPEC 114-115014							
FINISH -		WEIGHT -							
CUSTOMER DRAWING				SCALE 1:1		SHEET 3 OF 3		REV A2	