

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: [0019092046](#)
Status: **Active**
Overview: [standard_093](#)
Description: 2.36mm (.093") Diameter Standard .093" Pin and Socket Plug Housing With Positive Latch, UL 94V-0, 4 Circuits

Documents:
[3D Model](#)
[Drawing \(PDF\)](#)
[Packaging Specification \(PDF\)](#)
[RoHS Certificate of Compliance \(PDF\)](#)

Agency Certification

CSA	LR19980
TUV	R72081037
UL	E29179

General

Product Family	Crimp Housings
Series	3191
Comments	Polarized to Mating Part, Without Mounting Ears
Overview	standard_093
Product Name	Standard .093"

Physical

Breakaway	No
Circuits (maximum)	4
Circuits Detail	2x2
Color - Resin	Natural
Flammability	94V-2
Gender	Dual
Glow-Wire Compliant	No
Keying to Mating Part	None
Lock to Mating Part	Yes
Material - Resin	Nylon
Number of Rows	1
Packaging Type	Bag
Panel Mount	No
Pitch - Mating Interface (in)	0.264 In
Pitch - Mating Interface (mm)	6.71 mm
Polarized to Mating Part	Yes
Stackable	No
Temperature Range - Operating	-40°C to +105°C

Electrical


Current - Maximum per Contact	9A
-------------------------------	----

Material Info

Old Part Number	3191-4P1-201
-----------------	--------------

Reference - Drawing Numbers

Packaging Specification	PK-3191-001
Sales Drawing	SD-3191-4*



EU RoHS
ELV and RoHS
Compliant
REACH SVHC
Not Reviewed
Halogen-Free
Status
Not Reviewed

China RoHS



Need more information on product environmental compliance?





Email productcompliance@molex.com
For a multiple part number RoHS Certificate of Compliance, [click here](#)

Please visit the [Contact Us](#) section for any non-product compliance questions.


Search Parts in this Series
[3191](#)Series

Mates With
[3191](#) Pin and Socket Recptacle, [5219](#) Vertical PCB Header

Use With
[1189](#) Crimp Terminals, [1190](#) Crimp Terminals, [1380](#) Male Crimp Terminals, [1381](#) Female Crimp Terminals, [1433](#) Crimp Terminals, [1434](#) Male Crimp Terminals, [2605](#) , [2606](#) , [1973](#) , [2151](#) , [2273](#) , [2870](#) , [2871](#) , [4272](#) , Lin



PLUG HOUSING



3	J3
2	J3
1	J3

	SHT	REV
Y	REVISE ON CAD ONLY	

REDRAWN ON CAD EC NO. UCR1998-0254 DRAWN: J. WANG 00/06/07 CHK: WIRKUS 00/06/07 APPR: R. EDGLEY 00/06/07 J3	DESCRIPTION MAJOR =0 CRITICAL =0	QUALITY SYMBOLS	GENERAL TOLERANCES: (UNLESS SPECIFIED)			SCALE 2 : 1	DESIGN UNITS ☐ mm ☒ INCH	THIRD ANGLE PROJECTION 	DIMENSIONS: ☐ mm ☒ INCH ☐ mm ONLY			SHEET 1 OF 1	REVISION CAD ONLY	
				mm	INCH	DRAWN BY & DATE J. WANG 98/08/24		TITLE: .093/(2.36) HOUSINGS PLUG AND RECEPTACLE 4-CKTS, .264/(6.70) CTRS						
			4 PLACES	±0.---	±.---	CHECKED BY & DATE WIRKUS 98/08/24		MOLEX INCORPORATED						
			3 PLACES	±0.---	±.010	APPROVED BY & DATE R. EDGLEY 98/08/24								
			2 PLACES	±0.25	±.015			CAD FILENAME S3I9I40I.DGN		MATERIAL NO. SEE SHT. 3	DRAWING NO. SD -3I9I -4*	SHEET N 1 OF 1		
			1 PLACE	±0.38	±.---			THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION.						
			DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS											

[illegible]