	THIRD ANGLE PROJ. 🕀 🖯	
NOTES:		REV DES
I. MATERIALS AND FINISHES: BNC R/A CRIMP PLUG - BRASS, NICKEL PLATED		A RELEA B NO CHANGES
CABLE - RG-59		C NO CHANGES
2. ELECTRICAL: A. IMPEDANCE: 75 OHM		D ADD CUSTOMER DRAWING S
3. PACKAGING: A. QUANTITY: SINGLE PACK B. MARKING: BAG TO BE MARKED "AMPHENOL RF, II5I04-I5-XX.XX, AND DATE CODE"		
INTERFACE PER MIL-STD-348 SERIES: BNC PLUG TYP(2)	LENGTH TABLE PART NUMBER LENGTH INCHES (X) 115104-15-06.00 6.00 115104-15-12.00 12.00 115104-15-18.00 18.00 115104-15-24.00 24.00 115104-15-36.00 36.00 115104-15-48.00 48.00	
DESIGN_REQUIREMENTS: FREQUENCY TO VSWR X HI-POT	BY CHANGING XX.XX TO DESIRED LEGNTH IN INCHES CONTACT CONNEX MARKETING FOR QUOTE	LE 0" - 24.00 5.0' 25.0'
dB MAX		
UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN METRIC AND TOLERANCES ARE: < 0.5mm $0.5 - 6mm$ $6 - 30mm$ $30 - 120mm$ ANGLES $\pm 0.05mm$ $\pm 0.1mm$ $\pm 0.2mm$ $\pm 0.3mm$ $\pm 1^{\circ}$ NOTICE - These drawings, specifications, or other data (1) are, and remain the property of Amphenol corp. (2) must be returned upon request; and (3) are confidential and not to be disclosed to any person other than those to whom they are given by Amphenol Corp. the furnishing of these drawings, specifications, or other data by Amphenol Corp., or to any other person to anyone for any purpose is not to be regarded by implication or otherwise in any manner licensing, granting rights to permitting such holder or any other person to manufacture, use or sell any product, process or design, patented or otherwise, that may in any way be related to or disclosed by said drawings, specifications, or other data. HATERIAL 	DRAWNDATEKARTHIK RII-Nov-IOENGINEERDATEKARTHIK RII-Nov-IOAPPROVEDDATEK.CAPOZZII5-Feb-I8NorkCAD FILE	TITLE BNC R/A CRIMP PLUG TO BNC R/A CRIMP PLUG USING RG 59 CO-AXIAL (XX.XX LENGTH SCALE: I.8:I.0 SHEET 2 OF DWG SIZE B

REVISIONS	-		
CRIPTION	DATE	ECN	APPR
SE TO MFG.	-Nov- 0		K R
S TO THIS SHEET S TO THIS SHEET	03-Apr-13 12-Feb-18	2463 06882	MB BEW
SHEET, 18 AND 48 IN LENGTHS	4 - Mar - 18	07301	BEW
TOLERANCE TABL	. E		
NGTH IN INCHES/FT [METERS]	TOLEF	ANCE	
23.90" [0 - 0.607]		[0.006]	
D" - 59.00" [0.6 0 - .499]	±0.50"	[0.0 3]	
- 24.9′[.524 - 7.6 7]	±2.5%		
′&UP[7.620 &UP]	±5.0%]
CABLE, www. DRAWING NO.	n n h c n n amphenolrf. 15104-15-	R F com XX.XX	NG
REV TEM NO. 115104-15-XX.XX			
D PART NO.	5 04- 5-	X X - X X	