




Copyright FCI.


NOTES:

- MATERIAL:
 - HOUSING HIGH TEMP THERMOPLASTIC, UL 94V-0
COLOUR: BLACK
 - TERMINAL: COPPER ALLOY
 - HOLD DOWN: COPPER ALLOY
- FINISH:
 - TERMINAL: 30u" Au PLATING (CONTACT POINT)
OVER 50u" NICKEL
 - SOLDER TAIL: 100u" MIN Sn OVER 50u" NICKEL
 - HOLD DOWN: 100u" MIN Sn OVER 50u" NICKEL
- THE STANDARD PACKAGING IS IN TRAY UNLESS OTHERWISE SPECIFIED
- THE HOUSING WILL WITHSTAND EXPOSURE TO 260°C PEAK TEMPERATURE FOR 10 SECONDS IN A CONVECTION, INFRA-RED OR VAPOR PHASE REFLOW OVEN.
- THIS PRODUCT MEETS EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS-47-0004.


6. A  SYMBOL WILL BE NEXT TO ANY DIMENSION, VIEW, OR NOTE WHICH HAS BEEN MODIFIED WITH THE CURRENT DRAWING REVISION.






RECOMMENDED PCB LAYOUT
SCALE 4:1



SCALE 2:1



spec ref -				dr Koon-Poh Tay 2013/11/17		projection 	MM 	size A3	scale 1:1
tolerance std - -	TOLERANCES UNLESS OTHERWISE SPECIFIED			eng Koon-Poh Tay 2013/11/17				ecn no -	
				chr - -					
				appr Chen-Hong Tan 2013/11/17					rel level Released
surface ✓ - -	linear	0.X	±0.30		title SAS RECEPTACLE VERTICAL SMT	dwg no 10127070	rev A		
		0.XX	±0.20						
		0.XXX	± -						
	angular	0°	±2°	www.fci.com	cat. no.	Product - Customer Drw		sheet 2 of 2	