



## HEYlock™ Locking IEC Power Cords

**Universal C13 to C14 Locking Power Cords - designed for retrofit!**  
UL Listed (UL 817) and CE Compliant (IEC 60320)

- The only locking IEC 13-14 power cord that locks at both ends.
- Designed for retrofit - plug and play replacement for existing power cords.
- Universally compatible - requires no mating plug or receptacle on the other side of the connection.
- Consult Heyco for IEC 19-20 power cord configurations.

| Type | WIRE           |         | Length * |     | PART NO.     | DESCRIPTION                  |
|------|----------------|---------|----------|-----|--------------|------------------------------|
|      | Gauge AWG/Cond | Color * | Feet     | M   |              |                              |
| H05  | 17/3           | Black   | 1.7      | 0.5 | <b>S8000</b> | LPC-C13/C14-17/3-BLK-H05-1.7 |
|      |                |         | 3.3      | 1.0 | <b>S8002</b> | LPC-C13/C14-17/3-BLK-H05-3.3 |
|      |                |         | 5.0      | 1.5 | <b>S8004</b> | LPC-C13/C14-17/3-BLK-H05-5.0 |
|      |                |         | 6.6      | 2.0 | <b>S8006</b> | LPC-C13/C14-17/3-BLK-H05-6.6 |
|      |                |         | 8.3      | 2.5 | <b>S8008</b> | LPC-C13/C14-17/3-BLK-H05-8.3 |
| SJT  | 16/3           | Black   | 1.7      | 0.5 | <b>S8020</b> | LPC-C13/C14-16/3-BLK-SJT-1.7 |
|      |                |         | 3.3      | 1.0 | <b>S8022</b> | LPC-C13/C14-16/3-BLK-SJT-3.3 |
|      |                |         | 5.0      | 1.5 | <b>S8024</b> | LPC-C13/C14-16/3-BLK-SJT-5.0 |
|      |                |         | 6.6      | 2.0 | <b>S8026</b> | LPC-C13/C14-16/3-BLK-SJT-6.6 |
| SJT  | 14/3           | Black   | 1.7      | 0.5 | <b>S8030</b> | LPC-C13/C14-14/3-BLK-SJT-1.7 |
|      |                |         | 3.3      | 1.0 | <b>S8032</b> | LPC-C13/C14-14/3-BLK-SJT-3.3 |
|      |                |         | 5.0      | 1.5 | <b>S8034</b> | LPC-C13/C14-14/3-BLK-SJT-5.0 |
|      |                |         | 6.6      | 2.0 | <b>S8036</b> | LPC-C13/C14-14/3-BLK-SJT-6.6 |

\*Custom colors and lengths available, consult Heyco.



## Universal C13 to 5-15P Locking Power Cords - designed for retrofit!

UL Listed (UL 817) and CE Compliant (IEC 60320)

- IEC 13 to NEMA 5-15P power cord that locks at the application end.
- Designed for retrofit - plug and play replacement for existing power cords.
- Universally compatible - requires no mating receptacle on the other side of the connection.
- IEC 13 to any International plug configuration available. Consult Heyco.

| Type | WIRE           |         | Length * |     | PART NO.     | DESCRIPTION                   |
|------|----------------|---------|----------|-----|--------------|-------------------------------|
|      | Gauge AWG/Cond | Color * | Feet     | M   |              |                               |
| SJT  | 18/3           | Black   | 2.0      | 0.6 | <b>S8052</b> | LPC-C13/515P-18/3-BLK-SJT-2.0 |
|      |                |         | 3.0      | 0.9 | <b>S8053</b> | LPC-C13/515P-18/3-BLK-SJT-3.0 |
|      |                |         | 6.0      | 1.8 | <b>S8056</b> | LPC-C13/515P-18/3-BLK-SJT-6.0 |
| SJT  | 16/3           | Black   | 2.0      | 0.6 | <b>S8062</b> | LPC-C13/515P-16/3-BLK-SJT-2.0 |
|      |                |         | 3.0      | 0.9 | <b>S8063</b> | LPC-C13/515P-16/3-BLK-SJT-3.0 |
|      |                |         | 6.0      | 1.8 | <b>S8066</b> | LPC-C13/515P-16/3-BLK-SJT-6.0 |
| SJT  | 14/3           | Black   | 2.0      | 0.6 | <b>S8072</b> | LPC-C13/515P-14/3-BLK-SJT-2.0 |
|      |                |         | 3.0      | 0.9 | <b>S8073</b> | LPC-C13/515P-14/3-BLK-SJT-3.0 |
|      |                |         | 6.0      | 1.8 | <b>S8076</b> | LPC-C13/515P-14/3-BLK-SJT-6.0 |

\*Custom colors and lengths available, consult Heyco.

*Quick Specs*

Materials Nylon 6/6 and PVC with Plated Copper Alloy Contacts  
 Certifications Certified by UL for Compliance with both Canadian and U.S. Requirements under File E471200 (C13/C14)  
 Certified by UL for Compliance with both Canadian and U.S. Requirements under File E115330 (C13/5-15P)