


LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
-	-		B	REVISED	05JUNE2013	IC.K	JH.K
			C	REVISED	10JUNE2013	IC.K	JH.K
			C1	REVISED	25FEB2014	IC.K	JH.K
			C2	REVISED	05FEB2015	IC.K	JH.K

D


C

B

A



AS SHOWN
① 2108610-5/6
② 2-2108610-6



STROKE CONDITION (REFERENCE)
SECTION B-B

- 1 MATERIAL: COPPER ALLOY, THK.=0.1mm
- 2 FINISH: Ni UNDER PLATING ALL OVER 0.8~3.0um.
CONTACT PLATING: Au 0.1~0.4um
SOLDER PLATING: Au FLASH 0.05~0.35um
- 3 CUTTING BURR: 0.05mm MAX.
- ① 4 F/G SHOULD BE SEPARATED BASED ON THE CUSTOMER'S PART NUMBER AS BELOW TABLE

NO	PART NUMBER	CUSTOMER PART NUMBER	PRODUCT SPEC
1	2108610-5	MBV62562001	108-61185
2	2108610-6	EAG63652301	
② 3	2-2108610-6	-	108-61250

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
mm

MATERIAL

1

TOLERANCES UNLESS OTHERWISE SPECIFIED:
±0.15

0-PLC ±

1-PLC ±0.5

2-PLC ±0.13

3-PLC ±0.013

4-PLC ±0.0001

ANGLES ±

FINISH

2

DWN JH GONG 08FEB2013

CHK JH KIM 08FEB2013

APVD JH KIM 08FEB2013

PRODUCT SPEC

SEE TABLE 4

APPLICATION SPEC

-

WEIGHT -

CUSTOMER DRAWING

TE Connectivity

NAME

SIZE CAGE CODE DRAWING NO RESTRICTED TO



A300779 C=C_2108610

SCALE 20:1 SHEET 1 OF 3 REV C2



SPRING FINGER 1.4H

-


①④ <2108610-5 : MBV62562001>



1. LG PART NO. 2. FINAL INSPECTION(YYYMMDD)
3. VENDOR PRODUCTION LOT NO. 4. VENDOR CODE



WEEDING THE COVER TAPE, AROUND THE OUTER PERIPHERY IN A TURN.



WITH PRODUCT CHARGE 9000EA/1REEL

WITHOUT CHARGE 400mm REF.

160mmREF WITHOUT CHARGE

13.4 REF

19.4 REF REEL WIDTH

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:

mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ±-
1 PLC ±0.5
2 PLC ±0.13
3 PLC ±0.013
4 PLC ±0.0001
ANGLES ±-
FINISH -

MATERIAL



DWN

08FEB2013

CHK

08FEB2013

APVD

08FEB2013

PRODUCT SPEC

108-XXXXX

APPLICATION SPEC

WEIGHT

CUSTOMER DRAWING



TE Connectivity

SPRING FINGER 1.4H

SIZE

CAGE CODE

DRAWING NO

RESTRICTED TO

A3

00779

C=C_2108610

SCALE 20:1

SHEET

2

OF

3

REV



C2

LOC —	DIST —	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
				SEE SHEET 1			

①<2108610-6 : EAG63652301>



DIRECTION OFF TOP OF REEL



①

EAG63652301-YYYYMMDD-*****-HK000120

SPEC: 1.4H SPRING FINGER WITH EMBOSS

Company Name: TE CONNECTIVITY

Tyco Part Number : 2108610-5



RoHS

H/F


100

70

1. LG PART NO.
2. FINAL INSPECTION<YYMMDD>
3. VENDOR PRODUCTION LOT NO.
4. VENDOR CODE



WEEDING THE COVER TAPE, AROUND THE OUTER PERIPHERY IN A TURN.



WITH PRODUCT CHARGE 9000EA/1REEL WITHOUT CHARGE 400mm REF.

160mmREF WITHOUT CHARGE

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN JH GONG 08FEB2013	TE Connectivity SPRING FINGER 1.4H			
		CHK JH KIM 08FEB2013				
		APVD JH KIM 08FEB2013				
		PRODUCT SPEC 108-XXXXX				
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME		
		0 PLC ±-		SIZE		
		1 PLC ±0.5		CAGE CODE		
		2 PLC ±0.13		DRAWING NO		
		3 PLC ±0.013		RESTRICTED TO		
		4 PLC ±0.0001		A300779 ©=C_2108610		
MATERIAL -		FINISH -		SCALE 20:1		
				SHEET 3 OF 3		
				REV C2		
				CUSTOMER DRAWING		