







PRODUCT NUMBER 73932-XYYY

73932 - XYYYI F

NOTES:

- I. FOR DIM A AND B SEE SHEET 2 AND UP.
- 2. BODY MATERIAL: LIQUID CRYSTAL

POLYMER 30 % GLASS.

FLAME RETARDANT ACC. UL 94-VO.

- 3. PIN MATERIAL: PHOSPHOR BRONZE.
- PLATING ON PRESS-FIT TAIL: 73932-XYY IS SnPb 73932-XYYLF IS SN (LEAD FREE) PLATING ON CONTACT AREA CONFORMS TO PERFORMANCE LEVEL SHOWN IN TABLE BELOW.
- 5. PRODUCT MARKING: PART NUMBER DESIGNATION & BATCH I.D.
- 6. ALL PRODUCTS WITH PART NUMBERS SHOWN IN SUBSEQUENT TABLES WILL BE PACKAGED IN TUBES. IF TRAY PACKAGING IS REQUIRED, A SUFFIX "P" WILL BE ADDED TO THE END OF THE PART NUMBER. EXAMPLE: XXXXX-XXXP
- 7. PRODUCT SPECIFICATION GS-12-180 APPLICATION SPECIFICATION BUS-20-073
- AFTER INSERTION INTO CIRCUIT BOARD WITH QUALIFIED TOOL.
- 9. THE PRODUCTS WHERE THE PART NUMBER ENDS IN LF MEET THE EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS-22-008.

ALL PRODUCTS EXCEPT THOSE WITH PART NUMBERS CONTAINING (DRAWING NO.)-NI--- OR (DRAWING NO.)-N5---WILL WITHSTAND EXPOSURE TO 260°C FOR 60 SECONDS IN A CONVECTION, INFRA-RED OR VAPOR PHASE REFLOW OVEN. PART NUMBERS (DRAWING NO.)-NI---AND (DRAWINGS NO.)-N5---WILL NOT WITHSTAND REFLOW AND AU CONTACT SURFACE OF THE CONTACTS SHALL BE EXPOSED TO A MAXIMIM 140°C FOR NO LONGER THAN 15 SECONDS IN A WAVE SOLDER APPLICATION.

PLATING	IN CONTACT AREA	NOTES
DASH NUMBER	PERFORMANCE LEVEL	-
- N I Y Y Y	TELCORDIA CO (NXT)	-
-N5YYY	TELCORDIA UE (NXT)	-
-	TELCORDIA CO	-
-2111	TELECOM CLASS	-
- 3 Y Y Y	IEC CLASS I	-
- 5 Y Y Y	TELCORDIA UE	-
- 9 Y Y Y	TELCORDIA CO	-
-NIYYYLF	TELCORDIA CO (NXT) IEC CLASS I	SEE NOTE 9
-N5YYYLF	TELCORDIA UE (NXT)	SEE NOTE 9
- I Y Y Y L F	TELCORDIA CO IEC CLASS I	SEE NOTE 9
-2YYYLF	TELECOM CLASS	SEE NOTE 9
-5YYYLF	TELCORDIA UE	SEE NOTE 9

d γ Terran Huang		2010/07/08		projection	ion	MM	size	scale	
eng	3		2012/09/19		1	V V	A 4	11:10	
chr							ecn no	ELX-DG-012854-	ELX-DG-012854-1
appr			2012/09/19	product fai	mily	METR	AL rel level	Release	Released
FÇj		÷ ME	TRAL SIGN	NAL HEA	g no	7393		e v	
		+ 3 MOD, 5ROW PRESS-FIT				≥ ♡		\	V
www.	fci.com	cat, no) .	-	Product	- Custor	mer Drw	sheet 5 of 5	

Pro/E File - REV C - 2009-06-09

PDS: Rev:V

STATUS:Released

Printed: Sep 19, 2012

Α