




LOC	DIST	REVISIONS				
		P	LYR	DESCRIPTION	DATE	DWN
GE	00		J1	REVISED PER ECO-12-004861	13MAR2012	DLD

- 1 MATERIAL: BRASS PER ASTM-B-36
- 2 MATERIAL: BRASS PER ASTM-B-16
- 3 MATERIAL: TPX
- 4 FINISH: TIN PER ASTM-B-545
- 5 MATERIAL: BRASS PER ASTM-B-453
- 6 COMPANY LOGO




CONFIGURATION X





RECOMMENDED PCB LAYOUT
FOR 1326508-1, -2 & -6

PCB LAYOUT TOLERANCES:
LOCATION = ±0.20[.008]
FEATURE SIZES = ±0.10[.004]
SCALE 4:1






CONFIGURATION Y


W, SH3	1326508-6
Z, SH2	1326508-3
Y	1326508-2
X	1326508-1
CONFIGURATION	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.			DWN A. HOLT	13NOV2002	 TE Connectivity						
DIMENSIONS:			CHK K. COBLE	13NOV2002							
mm [INCHES]		TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD K. COBLE	13NOV2002	NAME	PCB JACK, SNAP-LOCK				
		0 P L C ± .		PRODUCT SPEC							
		3 P L C ± .		APPLICATION SPEC							
		.004 P L C ± .		114-13002		SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO		
		4 P L C ± .		WEIGHT		A1	00779	C=1326508	-		
MATERIAL		FINISH		CUSTOMER DRAWING		SCALE	4:1	SHEET	1 of 3	REV	J
SEE NOTES		SEE NOTES									

LOC		DIST		REVISIONS					
GE		00		P	LTR	DESCRIPTION	DATE	DWN	APVD
				-	-	SEE SHEET 1	-	-	-



CONFIGURATION Z



RECOMMENDED PCB LAYOUT
FOR 1326508-3 ONLY

PCB LAYOUT TOLERANCES:
LOCATION = ±0.20[.008]
FEATURE SIZES = ±0.10[.004]
SCALE 4:1

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN A. HOLT 13NOV2002	 TE Connectivity				
		CHK K. COBLE 13NOV2002					
DIMENSIONS: mm[INCHES]		APVD K. COBLE 13NOV2002	NAME PCB JACK, SNAP-LOCK				
		PRODUCT SPEC -					
		APPLICATION SPEC 114-13002					
		SIZE A1	CAGE CODE 00779	DRAWING NO C=1326508	RESTRICTED TO -		
		MATERIAL		FINISH			
SEE NOTES		SEE NOTES		CUSTOMER DRAWING		SCALE 4:1	
						SHEET 2 OF 3	
						REV J	

