


REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	3	REMOVE CORNER HOLE	01SEP2016	VL	SS
	A	DRAWING RELEASED	21APR2017	VL	SS
	A1	REVISED PER ECO-17-007644	26MAY2017	VL	SS
	A2	REVISED PER ECO-17-013857	20SEP2017	SS	HL




SCALE 2:1

NOTES:

- 1 MATERIAL: 0.20mm CRS. 1,25 - 3.00µm MATTE TIN FINISH.
- 2 MATERIAL: 0.20mm AL. 1.20 - 2.00µm MATTE TIN FINISH OVER NICKEL FLASH.
- 3 STAMPING BURR OUTSIDE OF PART, MAX 0.05mm.
- 4 PARTS TO BE FREE OF OIL AND CONTAMINENTS.
- 5 PART IS RoHS COMPLIANT PER TE CONNECTIVITY STANDARD TEC-138-702.
- 6 REFER TO 3D MODEL FOR UNSPECIFIED DIMENSIONS.
- 7 PACKAGING: TAPE AND REEL

7	2	2118709-4
7	1	2118709-2
PACKAGING	MATERIAL	PART NUMBER



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN V. LAC	07APR2016	TE Connectivity		
		CHK S. SU	21APR2017			
		APVD V. LAC	21APR2017	NAME 1 PIECE STANDARD SHIELD		
		PRODUCT SPEC 108-115119				
		APPLICATION SPEC 114-115013				
		WEIGHT -		SIZE A3	CAGE CODE -	DRAWING NO C-2118709
		CUSTOMER DRAWING		SCALE 3:1	SHEET 1 OF 3	REV A2
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED:				
		0 PLC ±0.20				
		1 PLC ±0.15				
		2 PLC ±0.10				
		3 PLC ±				
		4 PLC ±				
		ANGLES ±2				
MATERIAL SEE TABLE		FINISH SEE TABLE				


4

3

2


1

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-



NOTES:

8. STENCIL THICKNESS: 0.10mm MIN.

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN V. LAC 07APR2016		 TE Connectivity			
DIMENSIONS: mm		CHK S. SU 21APR2017					
		APVD V. LAC 21APR2017		NAME 1 PIECE STANDARD SHIELD			
		TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ±0.20 1 PLC ±0.15 2 PLC ±0.10 3 PLC ± 4 PLC ± ANGLES ±2					
		PRODUCT SPEC 108-115119					
		APPLICATION SPEC 114-115013					
MATERIAL SEE TABLE -		WEIGHT -		SIZE A3	CAGE CODE -	DRAWING NO C-2118709	RESTRICTED TO -
		CUSTOMER DRAWING		SCALE 1:1	SHEET 2 OF 3	REV A2	

