




## Thermocouple Extension & Compensating Cable PVC Insulated & Screened (to IEC-584)



- ◆ PVC insulated & screened
- ◆ Twisted cores & screened construction for reduced electrical noise
- ◆ Conductors PVC insulated and twisted together, aluminium Mylar® tape screen & drain wire, overall PVC sheath
- ◆ General purpose cable both waterproof and flexible
- ◆ Thermocouple extension types for K, J, T & compensating type VX (KCB) for type K thermocouple
- ◆ Stranded 7/0.2mm conductors
- ◆ Available in 50 & 100 metre lengths
- ◆ Tolerance Class 2
- ◆ Insulation rating -10°C to 105°C
- ◆ Colour code (cores & jacket) to IEC-584-3

| T/C Type             | Cores         | Jacket | Reel Length | Farnell Order Code |
|----------------------|---------------|--------|-------------|--------------------|
| <i>Extension:</i>    |               |        |             |                    |
| KX                   | +Green/-White | Green  | 10 metres   | 708-6131           |
| KX                   | +Green/-White | Green  | 50 metres   | 708-6143           |
| KX                   | +Green/-White | Green  | 100 metres  | 859-8487           |
| JX                   | +Black/-White | Black  | 100 metres  | 859-8495           |
| TX                   | +Brown/-White | Brown  | 100 metres  | 242-0293           |
| <i>Compensating:</i> |               |        |             |                    |
| VX (KCB)             | +Green/-White | Green  | 25 metres   | 708-6155           |

### About Labfacility

Formed in 1971, Labfacility specialize in the field of Temperature and Process Measurement.

We are the largest UK manufacturer of both temperature sensors and thermocouple connectors

### Quality & Service

Quality and Service are key elements in the continued growth of Labfacility.

Technical support is always freely available from our experienced technical sales teams and the company has ISO9001 accreditation.

### Contact Details

Email  
sales@labfacility.com

Website  
www.labfacility.com