



PATENT No. US9787010 B1


A3-001

CONFIDENTIAL

RECOMMENDED FOOTPRINT LAYOUT



DETAIL B (S=4/1)



DETAIL C (S=4/1)

							 YAMAICHI ELECTRONICS USA INC.
Tolerances ± 0.30 unless otherwise specified. () Reference value							
SCALE	2/1	APP.	APP.	CHK.	DRW.	DSGN.	Part No.
DIMENTION	mm		'16/04/28	'16/04/28	'16/04/28	'16/02/18	CNU113-314-2201-VE
ANGLE PROJ	3rd		T. Nishimura	O. Shimizu	H. Takahira	H. Takahira	DRW No. YEU-A3049 Sheet No. 2 / 4 REV. E

CONFIDENTIAL

TOP SIDE

RECOMMENDED MODULE LAYOUT

BOTTOM SIDE

DETAIL J(S=4/1)

DETAIL G(S=4/1)

DETAIL H(S=4/1)

DETAIL E(S=4/1)



DETAIL D(S=4/1)

DETAIL F(S=4/1)

Tolerances ± 0.30 unless otherwise specified. () Reference value						 YAMAICHI ELECTRONICS USA INC.		
SCALE 2/1						CLASS		
APP. T. Nishimura						Part No. CNU113-314-2201-VE		
CHK. O. Shimizu						DRW No. YEU-A3049		
DRW. H. Takahira						Sheet No. 3 / 4		
DSGN. H. Takahira						REV. E		

A3-001

CONFIDENTIAL

Recommended mating angle of module

Module inserted position

								YAMAICHI ELECTRONICS USA INC.		
Tolerances ± 0.30 unless otherwise specified. () Reference value								CLASS		
SCALE	2/1	APP.	APP.	CHK.	DRW.	DSGN.	Part No.	CNU113-314-2201-VE		
DIMENTION	mm		'16/04/28	'16/04/28	'16/04/28	'16/02/18	DRW No.	YEU-A3049	Sheet No.	REV.
ANGLE PROJ	3rd		T. Nishimura	O. Shimizu	H. Takahira	H. Takahira		4 / 4	E	
6				7			8		A3-001	