
THIS COPYRIGHTED DOCUMENT IS THE PROPERTY OF GLENAIR, INC. AND IS FURNISHED ON THE CONDITION THAT IT IS NOT TO BE DISCLOSED, REPRODUCED IN WHOLE OR IN PART, OR USED TO SOLICIT QUOTATIONS FROM COMPETITIVE SOURCES, OR USED FOR MANUFACTURE BY ANYONS OTHER THAN ELEMAIR, INC. WITHOUT WRITTEN PERMISSION FROM GLENAIR, INC. THE INFORMATION HEREIN HAS BEEN DEVELOPED AT GLENAIR'S EXPENSE AND MAY BE USED FOR ENGINEERING SYALDATION AND INCORPORATION INTO TECHNICAL SPECIFICATIONS AND OTHER DOCUMENTS WHICH SPECIFY PROCUMENBERY OF PRODUCTS FROM GLENAIR, INC.

	REVISIONS								
REV.	DESCRIPTION	DATE	APPROVED						
1	PRELIMINARY	03/16/12	J.AKINS						



1. MATERIAL/FINISH:

PLASTIC ROD, MOLDED AND EXTRUDED - TEMPERATURE LIMIT 200 °C MINIMUM. THE MATERIAL USED TO FABRICATE SEALING PLUGS SHALL BE POLYTETRAFLUOROETHYLENE (PTFE) IN ACCORDANCE WITH ASTM-D1710, OR FLUORINATED ETHYLENE PROPYLENE (FEP) IN ACCORDANCE WITH ASTM-D2116, OR PERFLUOROALKOXY (PFA) IN ACCORDANCE WITH ASTM-D3307, OR POLYPHENYLSULFONE (PPSU) IN ACCORDANCE WITH ASTM-D6394.

- 2. PART MARKING. MARKING IS NOT REQUIRED. ITEMS SHALL BE IDENTIFIED AT THE BAG OR HIGHER PACKAGING LEVEL.
- 3. THIS SEALING PULG IS EQUIVALENT TO MS27488-20-2

NOTES: UNLESS OTHERWISE SPECIFIED.

	UNLESS OTHERWISE SPECIFIED		DRAWN	J.AKINS	06/18/13	_ CI						©
	DIMENSIONS ARE IN INCHES		CHECK	F.QUACH	06/18/13					CAD	1991	
	TOLERANCES: FRACTIONS		ENGR	F.QUACH	06/18/13	1211 AIR WAY GLENDALE, CALIF. 91201						
			D.B. MOUM.		SEALING PLUG FOR SIZE 20 CONTACTS							
	DO NOT SCALE T			APPROVED	<u>OWIL</u>	code ide		R	850	9-012		REV.
			RELEASE						77/2	~ • • • •	1 0	
	B/F 11C8886	85	RELEASE			SCALE	N/A	WEIGHT	N/A	SHEET	1 01	f T