


859-012

THIS COPYRIGHTED DOCUMENT IS THE PROPERTY OF GLENAIR, INC. AND IS FURNISHED ON THE CONDITION THAT IT IS NOT TO BE DISCLOSED, REPRODUCED IN WHOLE OR IN PART, OR USED TO SOLICIT QUOTATIONS FROM COMPETITIVE SOURCES, OR USED FOR MANUFACTURE BY ANYONE OTHER THAN GLENAIR, INC. WITHOUT WRITTEN PERMISSION FROM GLENAIR, INC. THE INFORMATION HEREIN HAS BEEN DEVELOPED AT GLENAIR'S EXPENSE AND MAY BE USED FOR ENGINEERING EVALUATION AND INCORPORATION INTO TECHNICAL SPECIFICATIONS AND OTHER DOCUMENTS WHICH SPECIFY PROCUREMENT OF PRODUCTS FROM GLENAIR, INC.

REVISIONS

REV.	DESCRIPTION	DATE	APPROVED
1	PRELIMINARY	03/16/12	J.AKINS





1. MATERIAL/FINISH:

PLASTIC ROD, MOLDED AND EXTRUDED - TEMPERATURE LIMIT 200 °C MINIMUM. THE MATERIAL USED TO FABRICATE SEALING PLUGS SHALL BE POLYTETRAFLUOROETHYLENE (PTFE) IN ACCORDANCE WITH ASTM-D1710, OR FLUORINATED ETHYLENE PROPYLENE (FEP) IN ACCORDANCE WITH ASTM-D2116, OR PERFLUOROALKOXY (PFA) IN ACCORDANCE WITH ASTM-D3307, OR POLYPHENYLSULFONE (PPSU) IN ACCORDANCE WITH ASTM-D6394.

2. PART MARKING. MARKING IS NOT REQUIRED. ITEMS SHALL BE IDENTIFIED AT THE BAG OR HIGHER PACKAGING LEVEL.

3. THIS SEALING PULG IS EQUIVALENT TO MS27488-20-2

NOTES: UNLESS OTHERWISE SPECIFIED.

UNLESS OTHERWISE SPECIFIED		DRAWN	J.AKINS	06/18/13	GLENAIR, INC. CAD 1991 © 1211 AIR WAY GLENDALE, CALIF. 91201				
DIMENSIONS ARE IN INCHES TOLERANCES: FRACTIONS ± 1/16 DECIMALS .XX ± .03 .XXX ± .015 ANGLES ± 2°		CHECK	F.QUACH	06/18/13	SEALING PLUG FOR SIZE 20 CONTACTS				
		ENGR	F.QUACH	06/18/13					
		 APPROVED			CODE IDENT. NO. 06324		SIZE B	859-012	REV. 1
		 APPROVED							
DO NOT SCALE THIS DRAWING		RELEASE DATE							
B/F 11C8886	85	ORIGINAL RELEASE DATE			SCALE N/A		WEIGHT N/A	SHEET 1 OF 1	