


# Indicator Lights Neon, LED and Incandescent Lamp

## Colors and voltages:

-  **Neon** Available with Red, Amber, Green or Clear lenses  
100/130V (marked 110V), 200/250V (marked 230V)
-  **LED - DC** Red, Yellow, Green, Blue, White  
2.0/2.2V Resistors for other voltages available.
-  **LED - AC** Red, Yellow, Green, Blue, White  
110-230V ac operation.
-  **Incandescent lamp** Available with Red, Amber, Green, Clear or Blue lenses  
6V, 12/14V, 24/28V.

- ▶ Neon, DC LED, AC LED or incandescent lamp
- ▶ Bezel sizes from 6.7 to 16.3mm dia
- ▶ Red, amber, green and clear lenses
- ▶ Red, yellow, green, blue and white LEDs
- ▶ Wide choice of styles
































UL file E63363

Approvals shown for neon versions only































RoHS compliant

SERIES	MODEL	TERM	PANEL & °C	DIMENSIONS (mm)
NL Neon	<b>566A</b> 	B 2.8 	6.0	
LE LED (DC)		WL 	2.0max	
LE LED (AC)			page 6	
NL Neon	<b>566B</b> 	B 2.8 	6.0	
LE LED (DC)		WL 	2.0max	
LE LED (AC)			page 6	
NL Neon	<b>566C</b> 	B 2.8 	6.0	
LE LED (DC)		WL 	2.0max	
LE LED (AC)			page 6	
FL Filament	<b>145</b> 	C 6.3 	5.8	
NL Neon			3.0max	
LE LED (DC)			page 6	
FL Filament	<b>1041</b> Chrome bezel 	WL 	6.3	
NL Neon		L 	6.3max	
LE LED (DC)			page 6	
FL Filament	<b>1045</b> Chrome bezel available 	WL 	6.3	
NL Neon		L 	10.0max	
LE LED (DC)			page 6	
LE LED (AC)				

▶ **ORDER FORMAT** example



SERIES	MODEL	TERM	PANEL & °C	DIMENSIONS (mm)
<b>FL</b> Filament	<b>245</b> Chrome bezel available 	<b>WL</b> 	7.1	
<b>NL</b> Neon		<b>L</b> 	6.3max	
<b>LE</b> LED (DC)			 page 6	
<b>LE</b> LED (AC)				
<b>FL</b> Filament	<b>2950</b> Chrome bezel available 	<b>WL</b> 	8.0	
<b>NL</b> Neon			0.8-1.6	
<b>LE</b> LED (DC)			 page 6	
<b>LE</b> LED (AC)				
<b>FL</b> Filament	<b>195 BB</b> 	<b>WL</b> 	8.0	
<b>NL</b> Neon		<b>C 6.3</b> 	0.8-3.0	
			 page 6	
<b>FL</b> Filament	<b>2951</b> Chrome bezel 	<b>WL</b> 	8.0	
<b>NL</b> Neon			0.8-1.6	
<b>LE</b> LED (DC)			 page 6	
<b>LE</b> LED (AC)				
<b>FL</b> Filament	<b>568 A(*)</b> Deep lens profile 	<b>WL</b> 	8.0	
<b>NL</b> Neon		<b>H 4.8</b> 	0.8-3.5	
<b>LE</b> LED (DC)			 page 6	
			(VDE at T100)	
<b>FL</b> Filament	<b>568 B(*)</b> Shallow lens profile 	<b>WL</b> 	8.0	
<b>NL</b> Neon		<b>H 4.8</b> 	0.8-3.5	
<b>LE</b> LED (DC)			 page 6	