

PRODUCT DATASHEET

Larisa series

last update 27/8/2014


DETAILS


Product Number	CP13135_LARISA-M-CLIP16
Family	Larisa
Type	Assembly
Color	clear
Diameter	9.9 + 9.9 mm
Height	7.3 mm
Style	square
Optic Material	PMMA
Holder Material	PC
Fastening	
Status	ready
ROHS Comliant	Yes
Date Updated	27/08/2014

OPTICAL PROPERTIES

	Viewing	Light	Effi-		
LED	Angle	Beam	ciency	cd/lm	Connector
NF2x757A	30 deg	Medium	88 %	2.200	-
NF2x757D	30 deg	Medium	86 %	2.440	-

Relative intensity of CP13137_LARISA-W (NF2x757D)





This drawing is our property.
It can't be reproduced
or communicated without
our written agreement.



Ledil Oy
Salorankatu 10
FIN 24240 SALO
Finland

DRAWING TITLE
Datasheet LARISA-CLIP16-757 assy


DRAWN BY mav	DATE 11.06.2012
CHECKED BY pv	DATE 11.06.2012
DESIGNED BY mav/pv	DATE 15.05.2012

SIZE A4	DRAWING NUMBER -	REV 1
SCALE 4:1	WEIGHT (g)	SHEET 1 / 1

LEDiL Oy CP13137_LARISA-W-CLIP16_(N757) Eff.88.0% / LDC (Linear)

Luminaire: LEDiL Oy CP13137_LARISA-W-CLIP16_(N757) Eff.88.0%


Lamps: 1 x N757 (70.0194lm@100mA)



LEDiL Oy CP13137_LARISA-W-CLIP16_(N757) Eff.88.0% / LDC (Polar)

Luminaire: LEDiL Oy CP13137_LARISA-W-CLIP16_(N757) Eff.88.0%

Lamps: 1 x N757 (70.0194lm@100mA)



NOTE: The typical divergence will be changed by different color, chip size and chip position tolerance. The typical total divergence is the full angle measured where the luminous intensity is half of the peak value.