

Main

| | |
|--------------------|---|
| Device application | Standard foundry switch Standard mill switch Heavy duty |
| Device short name | T |
| Series name | Severe duty |

Complementary

| | |
|---|--|
| [Ith] conventional free air thermal current | 20 A |
| [Ui] rated insulation voltage | 600 V |
| Base plate style | Style C |
| Body material | Cast zinc |
| Contact code designation | A600 P600 |
| Contact form | Form Z TPDT-SB |
| Contact status | Closed B for CCW position Open A for CCW position |
| Contacts material | Silver flashed copper |
| Contact operation | Snap action |
| Maximum displacement angle | 88 ° |
| Positive opening | Without |
| Switch actuation | CW and CCW |
| Tilting angle | 14 ° |
| Torque value | 12 lbf.in |
| Tripping angle | 12 ° |

Environment

| | |
|---------------------------------------|--------------------------------|
| ambient air temperature for operation | -10...185 °F |
| electrical shock protection class | Class 0 |
| IP degree of protection | IP65 IP66 IP67 |
| NEMA degree of protection | NEMA 1/2/4/12/13 |
| product certifications | CE CSA UL listed |
| protective treatment | Corrosion resistant gray paint |
| shock resistance | 30 gn |
| standards | UL 508 |

Offer Sustainability

| | |
|--|--|
| Not Green Premium product | Not Green Premium product |
| Will not be Compliant | Will not be Compliant |
| Reference not containing SVHC above the threshold | Reference not containing SVHC above the threshold |
| Available | Available |
| Need no specific recycling operations | Need no specific recycling operations |
| WARNING: This product can expose you to chemicals including: | WARNING: This product can expose you to chemicals including: |
| Diisononyl phthalate (DINP), which is known to the State of California to cause cancer, and | Diisononyl phthalate (DINP), which is known to the State of California to cause cancer, and |
| Di-isodecyl phthalate (DIDP), which is known to the State of California to cause birth defects or other reproductive | Di-isodecyl phthalate (DIDP), which is known to the State of California to cause birth defects or other reproductive harm. |

The information provided in this documentation contains general descriptions and/or technical characteristics of the products contained herein. This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications. It is the duty of any such user or integrator to perform the appropriate and complete risk analysis, evaluation and testing of the products with respect to the relevant specific application or use thereof. Neither Schneider Electric Industries SAS nor any of its affiliates or subsidiaries shall be responsible or liable for misuse of the information contained herein.

harm.

For more information go to www.p65warnings.ca.gov For more information go to www.p65warnings.ca.gov

Contractual warranty

| | |
|-----------------|-----------|
| Warranty period | 18 months |
|-----------------|-----------|
