
REVISION							
REV	DESCRIPTION	DATE	APPROVED				
A1	REVISED PER ECO-13-014894	8/19/13	I. MYONG				



SELF-LOCKING SHIELD BAND TERMINATION SHRINK BOOT ACCOMMODATION 45° ADAPTER

NOTES


- 1. THIS PRODUCT IS DESIGNED TO TERMINATE A BRAIDED CABLE SHIELD AND A HEAT SHRINKABLE LIPPED BOOT TO A CONNECTOR, AND DESIGNED TO MEET PERFORMANCE REQUIREMENT OF AS85049/83.
- 2. ALL COMPONENTS SHALL BE PACKAGED AND SUPPLIED IN A PLASTIC BAG AND LABELED WITH M85049/83 DESIGNATION e g. M85049/83-14W02.
- 3. PART SUPPLIED WITH STANDARD DETENTED SELF-LOCKING WHICH PROVIDES A POSITIVE AUDIBLE DETENTED COUPLING.
- 4. THIS ADAPTER MATES TO CONNECTOR SAE-ASS0151 CRIMP, MIL-DTL-26482 SERIES 2, SAE-AS81703 SERIES 3, AND MIL-DTL-83723 SERIES III.
- 5. FOR MATERIAL AND FINISH INFORMATION REFER TO R85049.
 FOR ALTERNATIVE MATERIALS AND PLATING FINISHES CONTACT TE CONNECTIVITY.


If this document is printed it becomes uncontrolled. Check for the latest revision

© 2013 Tyco Electronics Corporation. All rights reserved.

Raychem Adapters CUSTOMER DRAWING

	UNLESS OTHERWISE SPECIFIED DIMENSIONS	ARE IN INCHES.						
	.000 ± .005 DECIMALS: .00 ± .01 AN .0 ± .1	GLES: ± 1°	e te	TE Connectivity				
	TYCO ELECTRONICS R THE RIGHT TO AMEN DRAWING AT ANYTIME SHOULD EVALUATE	ND THIS . USERS	BACKSHELL, 45°, SELF-LOCKING SHIELD BAND TERMINATION, SHRINK BOOT ACCOMMODATION, CATEGORY 3B					
	SUITABILITY OF THE F FOR THEIR APPLICA		R85049/83					
DRAWN: T. NGUYEN	cad file: R85049-83_CD.dwg	CAGE CODE: 06090	RPN: N/A	SIZE: SCALE: THIRD ANGLE PROJ. SHEET: A				





If this document is printed it becomes uncontrolled. Check for the latest revision

Raychem Adapters
CUSTOMER DRAWING

© 2013 Tyco Electronics Corporation. All rights reserved.

STE		DRAWING NO:					
TE Connectivit		R85049/83					
CAD FILE: R85049-83_CD.DWG	CAGE CODE: 06090	RPN: N/A	SIZE: A	SCALE:	THIRD ANGLE PROJ.	SHEET: 2_OF_3	

ORDER NUMBER	FOR CONNECTOR SHELL SIZE (REF)					TABLE I — SHELL SIZE AND DIMENSIONS			
	SAE- ASB1703 26482 SERIES 3 SERIES 2		SAE- AS50151	MIL-DTL- 83723	A MAX DIA	B DIA ±.010 ENTRY SIZE		C DIA REF	
		CRIMP	SERIES III		02	03	02	03	
8		8	8S	8	.885 (22.48)	N/A	.250 (6.35)	N/A	.395 (10.03)
10		10	10S, 10SL	10	1.010 (25.65)	N/A	.312 (7.92)	N/A	.457 (11.61)
12	7	12	12S AND 12	12	1.135 (28.83)	.312 (7.92)	.438 (11.13)	.457 (11.60)	.583 (14.81)
14	12	14	14S AND 14	14	1.260 (32.00)	.438 (11.13)	.562 (14.27)	.583 (14.81)	.707 (17.96)
16	19	16	16S AND 16	16	1.385 (35.18)	.500 (12.70)	.625 (15.88)	.645 (16.38)	.770 (19.56)
18	27	18	18	18	1.510 (38.35)	.625 (15.88)	.750 (19.05)	.770 (19.56)	.895 (22.73)
20	37	20	20	20	1.635 (41.53)	.625 (15.88)	.812 (20.62)	.770 (19.56)	.957 (24.31)
22		22	22	22	1.760 (44.70)	.688 (17.48)	.938 (23.83)	.829 (21.06)	1.083 (27.51)
24		24	24	24	1.885 (47.88)	.750 (19.05)	1.000 (25.40)	.895 (22.73)	1.145 (29.08)
28			28		2.135 (54.23)	.875 (22.23)	1.125 (28.58)	1.020 (25.91)	1.270 (32.26)

If this document is printed it becomes uncontrolled. Check for the latest revision

Raychem Adapters
CUSTOMER DRAWING

© 2013 Tyco Electronics Corporation. All rights reserved.

		DRAWING NO:					
TE Connectivity		R85049/83					
CAD FILE:	CAGE CODE:	RPN:	SIZE:	SCALE:	THIRD ANGLE PROJ.	SHEET:	
R85049-83_CD.DWG 0609		N/A	Α	#	$\qquad \qquad $	3_0F_3	