




THIS DRAWING IS UNPUBLISHED.				RELEASED FOR PUBLICATION SEP ,2005.							LOC J		DIST		REVISIONS									
© COPYRIGHT 2005 By --				ALL RIGHTS RESERVED.											變更									
															P LTR DESCRIPTION			DATE		DWN		APVD		
															F5 REVISED(ADD A NEW PN)			23DEC2015		A.X		H.W		
NOTICE: THIS COMMUNICATION INCLUDES TE CONNECTIVITY CONFIDENTIAL OR PROPRIETARY INFORMATION THAT MAY ALSO BE LEGALLY PRIVILEGED.																								
AVAILABLE	WITHOUT P/N	Au 0.1um MIN OVER PdNi 0.2um MIN	—	—	0.5	10.55	—	—	1.1	1.1	WITHOUT BOSS	EMBOSS PACKING (SEE SHEET 2)	WITHOUT FLANGE TYPE (SEE SHEET 6)	9—1747981—2										
AVAILABLE	WITH P/N	Au 0.1um MIN OVER PdNi 0.2um MIN	—	M3 x 0.5	1.0	10.55	12.75	10.08	2.2	1.8	WITH BOSS	SOFT TRAY PACKING (SEE SHEET 4)	WITH FLANGE TYPE (SEE SHEET 7)	9—1747981—1										
AVAILABLE	WITHOUT P/N	Au 0.1um MIN OVER PdNi 0.2um MIN	14.3	M3 x 0.5	0.5	10.05	10.95	7.98	2.2	1.8	WITHOUT BOSS	EMBOSS PACKING (SEE SHEET 3)	WITH FLANGE TYPE (SEE SHEET 7)	8—1747981—2 2—1747981—5										
AVAILABLE	WITHOUT P/N	Au 0.1um MIN OVER PdNi 0.2um MIN	—	M3 x 0.5	0.5	10.05	10.95	7.98	2.2	1.8	WITHOUT BOSS	CLEAR TRAY PACKING (SEE SHEET 4)	WITH FLANGE TYPE (SEE SHEET 7)	8—1747981—1										
AVAILABLE	WITHOUT P/N	Au 0.1um MIN OVER PdNi 0.2um MIN	—	M3 x 0.5	1.0	10.55	12.75	10.08	2.2	1.8	WITH BOSS	SOFT TRAY PACKING (SEE SHEET 4)	WITH FLANGE TYPE (SEE SHEET 7)	3—1747981—1										
NOT AVAILABLE	WITHOUT P/N	Au 0.1um MIN OVER PdNi 0.2um MIN	16.3	#4—40 UNC	0.5	10.55	12.75	10.08	2.2	1.8	WITH BOSS	EMBOSS PACKING (SEE SHEET 3)	WITH FLANGE TYPE (SEE SHEET 7)	2—1747981—4										
AVAILABLE	WITHOUT P/N	Au 0.76um MIN	16.3	M3 x 0.5	1.0	10.55	12.75	10.08	2.2	1.8	WITHOUT BOSS	EMBOSS PACKING (SEE SHEET 3)	WITH FLANGE TYPE (SEE SHEET 7)	2—1747981—3										
NOT AVAILABLE	WITHOUT P/N	Au 0.1um MIN OVER PdNi 0.2um MIN	—	#4—40 UNC	0.5	10.05	12.75	10.08	2.2	1.8	WITHOUT BOSS	HARDTRAY PACKING (—)	WITH FLANGE TYPE (SEE SHEET 7)	2—1747981—2										
AVAILABLE	WITHOUT P/N	Au 0.76um MIN	—	M3 x 0.5	1.0	10.55	12.75	10.08	2.2	1.8	WITHOUT BOSS	SOFT TRAY PACKING (SEE SHEET 4)	WITH FLANGE TYPE (SEE SHEET 7)	2—1747981—1										
AVAILABLE	WITHOUT P/N	Au 0.1um MIN OVER PdNi 0.2um MIN	—	M3 x 0.5	1.0	10.55	12.75	10.08	1.5	1.5	WITHOUT BOSS	SOFT TRAY PACKING (SEE SHEET 4)	WITH FLANGE TYPE (SEE SHEET 7)	1—1747981—8										
AVAILABLE	WITHOUT P/N	Au 0.1um MIN OVER PdNi 0.2um MIN	16.3	M3 x 0.5	1.0	10.55	12.75	10.08	2.2	1.8	WITHOUT BOSS	EMBOSS PACKING (SEE SHEET 3)	WITH FLANGE TYPE (SEE SHEET 7)	1—1747981—7										
AVAILABLE	WITHOUT P/N	Au 0.1um MIN OVER PdNi 0.2um MIN	—	M3 x 0.5	0.5	10.05	10.95	7.98	2.2	1.8	WITHOUT BOSS	SOFT TRAY PACKING (SEE SHEET 5)	WITH FLANGE TYPE (SEE SHEET 7)	1—1747981—6										
AVAILABLE	WITHOUT P/N	Au 0.1um MIN OVER PdNi 0.2um MIN	14.3	M3 x 0.5	0.5	10.05	10.95	7.98	1.5	1.5	WITHOUT BOSS	EMBOSS PACKING (SEE SHEET 3)	WITH FLANGE TYPE (SEE SHEET 7)	1—1747981—5										
AVAILABLE	WITHOUT P/N	Au 0.1um MIN OVER PdNi 0.2um MIN	—	M3 x 0.5	1.0	10.55	12.75	10.08	2.2	1.8	WITHOUT BOSS	SOFT TRAY PACKING (SEE SHEET 4)	WITH FLANGE TYPE (SEE SHEET 7)	1—1747981—4										
AVAILABLE	WITHOUT P/N	Au 0.1um MIN OVER PdNi 0.2um MIN	—	#4—40 UNC	0.5	10.05	12.75	10.08	2.2	1.8	WITHOUT BOSS	SOFT TRAY PACKING (SEE SHEET 4)	WITH FLANGE TYPE (SEE SHEET 7)	1—1747981—3										
AVAILABLE	WITHOUT P/N	Au 0.1um MIN OVER PdNi 0.2um MIN	—	M3 x 0.5	0.5	10.05	10.95	7.98	1.5	1.5	WITHOUT BOSS	SOFT TRAY PACKING (SEE SHEET 4)	WITH FLANGE TYPE (SEE SHEET 7)	1—1747981—2										
AVAILABLE	WITHOUT P/N	Au 0.1um MIN OVER PdNi 0.2um MIN	—	M3 x 0.5	0.5	10.05	10.95	7.98	2.2	1.8	WITHOUT BOSS	SOFT TRAY PACKING (SEE SHEET 4)	WITH FLANGE TYPE (SEE SHEET 7)	1—1747981—1										
AVAILABLE	WITHOUT P/N	Au 0.1um MIN OVER PdNi 0.2um MIN	—	—	0.5	10.05	—	—	1.5	1.5	WITHOUT BOSS	EMBOSS PACKING (SEE SHEET 2)	WITHOUT FLANGE TYPE (SEE SHEET 6)	1747981—2										
AVAILABLE	WITHOUT P/N	Au 0.1um MIN OVER PdNi 0.2um MIN	—	—	0.5	10.05	—	—	2.2	1.8	WITHOUT BOSS	EMBOSS PACKING (SEE SHEET 2)	WITHOUT FLANGE TYPE (SEE SHEET 6)	1747981—1										
TOOL STATUS	PART NUMBER MARKING	CONTACT AREA PLATING SPEC J	DIM H	SCREW SIZE DIM G	DIM F	DIM E	DIM D	DIM C	DIM B	DIM A	BOSS	PACKING	CONNECTOR TYPE	PART NUMBER										
1 CONTACT COPLANALITY IS 0.1 MAXIMUM. THIS DIMENSION MEANS CENTER OF THE POCKET. FINISH CONTACT: CONTACT AREA J: SEE TABLE 2μm MIN Sn PLATING ON SOLDERING AREA 2μm MIN Ni UNDER PLATING ALL OVER SHELL: 1μm MIN Sn PLATING ALL OVER 1μm MIN Ni UNDER PLATING ALL OVER					REFER TO THE TABLE FOR BOSS. SCREW SIZE PART NUMBER MAKING					THIS DRAWING IS A CONTROLLED DOCUMENT. DIMENSIONS: 単位： 耗 mm TOLERANCES UNLESS OTHERWISE SPECIFIED: 一般公差 0 PLC ± 0.2 1 PLC ± 0.2 2 PLC ± 0.2 3 PLC ± 0.2 4 PLC ± 0.2 ANGLES ± — FINISH 仕上					DWN Y.HIRATA 15SEP2005 CHK T.KIMURA 15SEP2005 APVD K.IKEGAMI 15SEP2005 PRODUCT SPEC 製品規格 108—78180—1 APPLICATION SPEC 取付適用規格 WEIGHT CUSTOMER DRAWING					NAME 名称 HDMI 19 POS RECEPTACLE ASSY SMT TYPE —LEAD FREE— SIZE CAGE CODE DRAWING NO 番号 A3 00779 C—1747981 RESTRICTED TO — SCALE 尺度 NTS SHEET 1 OF 8 REV F5				






2			1					
LOC	DIST	REVISIONS						
J	—	P	LTR	DESCRIPTION		DATE	DWN	APVD
			—	SEE SHEET 1		—	—	—




NOTICE: THIS COMMUNICATION INCLUDES TE CONNECTIVITY CONFIDENTIAL OR PROPRIETARY INFORMATION THAT MAY ALSO BE LEGALLY PRIVILEGED.

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN		TE Connectivity							
		CHK									
DIMENSIONS: 単位： 耗 mm		TOLERANCES UNLESS OTHERWISE SPECIFIED: 一般公差		NAME 名称							
		0 PLC ± 0.2		HDMI 19 POS RECEPTACLE ASSY SMT TYPE —LEAD FREE—							
		1 PLC ± 0.2									
		2 PLC ± 0.2									
		3 PLC ± 0.2 ± 0.3		PRODUCT SPEC 製品規格 108-78180-1							
		4 PLC ± 0.2		APPLICATION SPEC 取付適用規格							
		ANGLES ± 0.2		SIZE							
MATERIAL 材料		FINISH 仕上		WEIGHT		CAGE CODE		DRAWING NO 番号		RESTRICTED TO	
				A3		00779		C-1747981		—	
CUSTOMER DRAWING						SCALE 尺度 NTS		SHEET 5 OF 8		REV F5	




LOC	DIST	REVISIONS				DATE	DWN	APVD
		P	LTR	変更	DESCRIPTION			
J			-		SEE SHEET 1	-	-	-

NOTICE: THIS COMMUNICATION INCLUDES TE CONNECTIVITY CONFIDENTIAL OR PROPRIETARY INFORMATION THAT MAY ALSO BE LEGALLY PRIVILEGED.



CONNECTOR
WITHOUT FLANGE TYPE



CONNECTOR
WITH FLANGE TYPE

MATING CONDITION (REFERENCE)
(SCALE 2:1)

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN		TE Connectivity				
		CHK						
DIMENSIONS: 単位： 耗 mm		TOLERANCES UNLESS OTHERWISE SPECIFIED: 一般公差		APVD		NAME 名称 HDMI 19 POS RECEPTACLE ASSY SMT TYPE -LEAD FREE-		
				PRODUCT SPEC 製品規格 108-78180-1				
		APPLICATION SPEC 取付適用規格						
		WEIGHT						
MATERIAL 材料		FINISH 仕上		SIZE	CAGE CODE	DRAWING NO 番号	RESTRICTED TO	
				A3	00779	C-1747981	—	
CUSTOMER DRAWING						SCALE 尺度	SHEET	REV
						2:1	8 of 8	F5