

5

4

3


2

1

## 受控 CONTROLLED DOCUMENT

编号 P/N	28-91037-CUST	版本 Rev	02	日期 Rel'd Date	Aug8,11
-----------	---------------	-----------	----	------------------	---------

Description: BNC Male Crimp For RG59/62 75Ω  
Part No: 28-91037  
Application: For RG59 PLENUM, RG62 PLENUM,  
BELDEN1506A Cable  
Crimp Tool: 24-9958P  
Impedance: 75 Ohms  
Frequency Range: 0-2 GHz  
Material: Body: Brass Nickel plated  
Contact: Brass Gold plated  
Insulator: Teflon  
Crimp Sleeve: Brass Nickel plated  
Coupling Nut: Brass Nickel plated  
RoHS Compliance: Yes  
Technical Detail: Refer to Emerson Document P/N 27-0000



DIM OUTLINE

TOLERANCE UNLESS OTHERWISE SPECIFIED		DRAWN BY	DATE
DECIMALS		Wencan Li	07-01-11
mm		CHECKED BY	DATE
X		Hu Yuge	07-01-11
X.X		APPROVED BY	DATE
X.XX		Ma Lin	07-01-11
ANGLES		U/M	mm
± 0.5			
± 0.3			
± 0.1			
± 0.5°			

THIS DRAWING WAS PRODUCED BY COMPUTER,  
DO NOT SCALE DRAWING OR UPDATE MANUALLY.

DRAWING NO.  
28-91037-CUST

## REVISIONS

01	OFFICIAL RELEASE									
	03-13-09	W	Y	T	H					
02	CHANGE INSULATOR MATERIAL FROM DELRIN TO TEFLON									
	07-01-11	L	H	M						ECO-11-0127

CUSTOMER COPY

Connectivity  
Solutions

TITLE  
BNC MALE CRIMP FOR  
RG59/62 75Ω

SHEET  
1 OF 1

DRAWING NO.  
28-91037-CUST

SIZE  
A