

DETAILS

Product Number	CA11519_LOTTA-A
Family	Lotta-A
Type	Assembly
Color	clear
Diameter	19,6+15,4 mm
Height	3.8 mm
Style	rectang
Optic Material	PMMA
Holder Material	
Fastening	screw, tape
Status	ready
ROHS Compliant	Yes
Date Updated	26/06/2013




OPTICAL PROPERTIES

LED	Viewing Angle	Light Beam	Efficiency	cd/lm	Connector
LUXEON Rebel	168 deg	Wide-Area...	81 %	sim: 0.000	-
LUXEON Rebel ES	175 deg	Wide-Area...	82 %	sim: 0.000	-
LUXEON A	175 deg	Wide-Area...	-	-	-


Ledil Oy CA11519_Lotta-A-RE-tape CA11519_Lotta-A-RE-tape / LDC (Linear)

Luminaire: Ledil Oy CA11519_Lotta-A-RE-tape CA11519_Lotta-A-RE-tape
Lamps: 1 x Luxeon Rebel (white)



Ledil Oy CA11519_Lotta-A-RE-es-tape CA11519_Lotta-A-RE-es-tape / LDC (Linear)


Luminaire: Ledil Oy CA11519_Lotta-A-RE-es-tape CA11519_Lotta-A-RE-es-tape
Lamps: 1 x Luxeon Rebel ES white



Ledil Oy CA11519_Lotta-A-RE-tape CA11519_Lotta-A-RE-tape / LDC (Polar)

Luminaire: Ledil Oy CA11519_Lotta-A-RE-tape CA11519_Lotta-A-RE-tape

Lamps: 1 x Luxeon Rebel (white)



cd/klm


— C0 - C180

— C90 - C270

SIMULATED

Ledil Oy CA11519_Lotta-A-RE-es-tape CA11519_Lotta-A-RE-es-tape / LDC (Polar)

Luminaire: Ledil Oy CA11519_Lotta-A-RE-es-tape CA11519_Lotta-A-RE-es-tape
Lamps: 1 x Luxeon Rebel ES white



cd/klm

— C0 - C180 — C90 - C270

SIMULATED

NOTE: The typical divergence will be changed by different color, chip size and chip position tolerance. The typical total divergence is the full angle measured where the luminous intensity is half of the peak value.