




LOC 	DIST -	REVISONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
			4	REVISED	02MAY2013	KR	JC
			5	UPDATED	22JUL2013	MZ	JC
			6	REVISED LATCH SHAPE	09AUG2013	KR	JC
			A	PARTS RELEASED FOR PRODUCTION	13NOV2013	MZ	JC



- 1 MATERIAL: PA GF (NATURAL AND BLACK COLOUR)
- 2 ALL POLARIZATION KEYS SHOWN FOR REF ONLY
- 3 WAYS I.D.
- 4 CURRENT RATING
- 5 VOLTAGE RATING
- 6 RIB CLOSING CAVITIES BY CHANGE OVER
- 7 TE LOGO
- 8 TE PART NUMBER
- 9 DATA CODE AND CAVITY I.D.
- 10 AREA FOR AGENCIES APPROVAL LOGO

11) SEE C-DRAWING 293682 (LOCKING CAP) TO GET IP 40


- 12 IP CODE
- 13 POLARISATION KEY "TYPE D" SUITABLE FOR DALI APPLICATION



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN M. ZUCCA 01 APR 2011 CHK M. ZUCCA 01 APR 2011 APVD G. TURCO 01 APR 2011		 TE Connectivity	
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ±. 1 PLC ±0.3 2 PLC ±0.20 3 PLC ±. 4 PLC ±. ANGLES ±3°		NAME PIN HOUSING PANEL MOUNT NECTOR* M-LINE 5 POLES UNSEALED VERSION	
		PRODUCT SPEC - APPLICATION SPEC -		SIZE A2	
MATERIAL -		WEIGHT -		DRAWING NO C-293688	
FINISH -		Customer Drawing		SCALE 3:1 SHEET 1 OF 3 REV A	


POLARIZATION TYPES

POLARIZATION TYPE "A"




PNs 0-293688-1 AND
1-293688-1

POLARIZATION TYPE "B"




PNs 0-293688-2 AND
1-293688-2

POLARIZATION TYPE "C"




PNs 0-293688-3 AND
1-293688-3

POLARIZATION TYPE "D"





PNs 0-293688-4 AND
1-293688-4

POLARIZATION TYPE "E"



PNs 0-293688-5 AND
1-293688-5


TABLE 1

	E	BLACK	PIN HSG 5 POLES PANEL MOUNT NECTOR* M-LINE	A	1-293688-5
	D	BLACK	PIN HSG 5 POLES PANEL MOUNT NECTOR* M-LINE	A	1-293688-4
	C	BLACK	PIN HSG 5 POLES PANEL MOUNT NECTOR* M-LINE	A	1-293688-3
	B	BLACK	PIN HSG 5 POLES PANEL MOUNT NECTOR* M-LINE	A	1-293688-2
	A	BLACK	PIN HSG 5 POLES PANEL MOUNT NECTOR* M-LINE	A	1-293688-1
	E	NATURAL	PIN HSG 5 POLES PANEL MOUNT NECTOR* M-LINE	A	0-293688-5
	D	NATURAL	PIN HSG 5 POLES PANEL MOUNT NECTOR* M-LINE	A	0-293688-4
	C	NATURAL	PIN HSG 5 POLES PANEL MOUNT NECTOR* M-LINE	A	0-293688-3
	B	NATURAL	PIN HSG 5 POLES PANEL MOUNT NECTOR* M-LINE	A	0-293688-2
	A	NATURAL	PIN HSG 5 POLES PANEL MOUNT NECTOR* M-LINE	A	0-293688-1
NOTE	POL. KEYING	COLOUR	DESCRIPTION	REV.	P/N

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:

mm



TOLERANCES UNLESS
OTHERWISE SPECIFIED:

0 PLC ±
1 PLC ±0.3
2 PLC ±0.20
3 PLC ±
4 PLC ±
ANGLES ±3°
FINISH

MATERIAL

-

DWN
M. ZUCCA
01APR2011

CHK
M. ZUCCA
01APR2011

APVD
G. TURCO
01APR2011

PRODUCT SPEC
-

APPLICATION SPEC
-

WEIGHT
-

Customer Drawing

TE Connectivity

NAME
PIN HOUSING PANEL MOUNT
NECTOR* M-LINE 5 POLES
UNSEALED VERSION

SIZE
A2

CAGE CODE
b0779

DRAWING NO
C-293688

RESTRICTED TO
-



SCALE 3:1

SHEET 2 OF 3


REV A

1471-9 (3/11)


LOC 	DIST -	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
			-	SEE SHEET 1	-	-	-



PANEL/WALL
SUGGESTED LAYOUT



3D VIEWS
FOR REFERENCE ONLY
PN 293688-1 AS SHOWN



SCALE 1:1

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN M. ZUCCA	01APR2011	TE Connectivity		
		CHK M. ZUCCA	01APR2011			
		APVD G. TURCO	01APR2011	NAME PIN HOUSING PANEL MOUNT NECTOR* M-LINE 5 POLES UNSEALED VERSION		
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED:		PRODUCT SPEC	SIZE	CAGE CODE
		0 PLC ±-		APPLICATION SPEC	DRAWING NO	RESTRICTED TO
		1 PLC ±0.3			A200779	-
		2 PLC ±0.20			C-293688	
		3 PLC ±-				
		4 PLC ±-				
		ANGLES ±3°				
MATERIAL		FINISH		WEIGHT		
				Customer Drawing	SCALE 3:1	SHEET 3 OF 3
						REV A