





LOC		DIST		REVISIONS			
P	LYR	DESCRIPTION		DATE	DWN	APVD	
A		INITIAL RELEASE		7JAN2013	D.S	A.C	
B		PER ECR-13-008109		21MAY2013	D.S	M.Y	
C		PER ECR-15-012191		21AUG2015	D.S	F.Y	



6 Ø0.46 REF
Ø0.05 X Y
ALL PLATED HOLES.

RECOMMENDED PCB LAYOUT
VIEW FROM COMPONENT SIDE
SCALE 6:1

- 1 MATERIAL:
CONTACT AND SHIELD: PHOSPHOR BRONZE
HOUSING: THERMALPLASTIC,UL 94V-0
- 2 FINISH: SIGNAL AND GROUND CONTACTS:
MATING AREA: MEETS THE PERFORMANCE REQUIREMENTS OF
PRODUCT SPECIFICATION 108-2055-1; BASED ON TELCORDIA
GR-1217-CORE, APPLICATIONS IN UNCONTROLLED ENVIRONMENTS
COMPLIANT PIN AREA: 0.5 um MIN MATTE
TIN OVER BASE PLATING
- 3 CONNECTOR MARKED WITH PART NUMBER AND DATE CODE
- 4 DATUMS AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER
- 5 FINISH: SIGNAL AND GROUND CONTACTS:
0.76um MIN. GOLD PLATING
COMPLIANT PIN AREA: 0.5 um MIN MATTE TIN OVER BASE PLATING
- 6 CONTACT AREA LUBRICATED WITH BELLCORE
APPROVED LUBRICANT. TECHNICAL REFERENCE:
GR-1217-CORE, ISSUE 1, NOVEMBER 1995.
- 7 RECOMMENDED THRU HOLE DIAMETER AND PLATING THICKNESSES PLEASE
REFER TO APPLICATION SPEC 114-13059



5	2170330-2
2	2170330-1
FINISH	PART NO.

THIS DRAWING IS UNPUBLISHED. IT IS SUBJECT TO CHANGE WITHOUT NOTICE. IT IS THE RESPONSIBILITY OF THE USER TO VERIFY THE DIMENSIONS AND TOLERANCES OF THE PARTS AND TO CONTACT THE SUPPLIER FOR THE LATEST REVISIONS.		DWN DAVID SHEN 23APR2012	CONNECTIVITY	
DIMENSIONS: mm		CHK SANDERS YAN 23APR2012	NAME	
TOLERANCES UNLESS OTHERWISE SPECIFIED: 9-PLC ±0.20 7-PLC ±0.20 5-PLC ±0.20 4-PLC ±0.20 ANGLES ±0.20		APVD ALEX CAI 23APR2012	PRODUCT SPEC 108-2055-1	
MATERIAL 1		FINISH 2	APPLICATION SPEC 114-13059	
WEIGHT -		SIZE A1	DRAWING NO. C=2170330	
CUSTOMER DRAWING		SCALE 8:1	SHEET 1 OF 1	
		REV C		