


# P-L496G-CELL02

### STM32 discovery pack for LTE IoT cellular to cloud

#### Data brief

#### Features

- STM32L496AGI6 microcontroller featuring 1 Mbyte of Flash memory and 320 Kbytes of RAM in a UFBGA169 package
- USB OTG HS
- On-board current measurement
- SAI Audio CODEC
- ST-MEMS digital microphones
- 8-Mbit PSRAM
- 2 user LEDs
- 1 user and 1 reset push-buttons
- 4-direction joystick with selection button
- Board connectors:
  - Camera 8 bit
  - USB with Micro-AB
  - Stereo headset jack including analog microphone input
  - microSD<sup>™</sup> card
- Board expansion connectors:
  - Arduino<sup>™</sup> Uno V3
  - STMod+
- Board expansion features:
  - Quectel BG96 worldwide cellular modem LTE Cat M1/Cat NB1/EGPRS module 300 kbps downlink, 375 kbps uplink
  - Modem reset red LED and modem signaling green LED
  - ST Incard<sup>™</sup> eSIM based on ST33
  - Switchable SIM interface, eSIM and MicroSIM
  - Pulse SMA antenna for frequency ranges: 824 / 900 / 1800 / 1900 / 2100 MHz
- Flexible power-supply options: ST-LINK, USB V<sub>BUS</sub>, or external sources



Picture is not contractual.

- On-board ST-LINK/V2-1 SWD,TAG debugger/programmer with USB reenumeration capability: mass storage, virtual COM port and debug port
- Comprehensive free software libraries and examples available with the STM32Cube package
- Support of a wide choice of Integrated Development Environments (IDEs) including IAR<sup>™</sup>, Keil<sup>®</sup>, GCC-based IDEs

# Description

The P-L496G-CELL02 STM32 discovery pack for LTE IoT cellular to cloud (STM32-C2C/LTE IoT) is a turnkey development platform for cellular and cloud technology based solutions.

The pack is composed of an STM32L496AGI6based low-power discovery mother board with preloaded firmware, and an STMod+ cellular expansion board with antenna.

1/4

For further information contact your local STMicroelectronics sales office.

### **General information**

The firmware of the P-L496G-CELL02 discovery pack runs on the STM32L496AGI6  $\mbox{Arm}^{\mbox{\ensuremath{\mathbb{R}}}}\mbox{-based device}.$ 

# arm

### System requirements

- Windows<sup>®</sup> OS (7, 8 and 10), Linux<sup>®</sup> 64-bit or macOS<sup>®</sup>
- USB Type-A to Micro-B cable

#### **Development toolchains**

- Keil<sup>®</sup> MDK-ARM<sup>(a)</sup>
- IAR™ EWARM<sup>(a)</sup>
- GCC-based IDEs including free SW4STM32 from AC6

#### **Demonstration software**

The STM32 Flash preloaded demonstration software yields an electronic ST Voucher and a URL through the USB ST-Link Virtual COM port, which, through a dedicated STM32-C2C Concierge Portal, allows the Discovery Pack owner to enable corresponding services from ST and various partners, including many precompiled demo Flash binaries. The latest versions of the demonstration source code and associated documentation can be downloaded from the *www.st.com* webpage.

a. On Windows<sup>®</sup> only



## **Ordering information**

To order the P-L496G-CELL02 discovery pack refer to Table 1.

#### Table 1. Ordering information

Order code	Target STM32
P-L496G-CELL02	STM32L496AGI6

### **Technology partners**

AVSystem:

LwM2M cloud-based device management

QUECTEL:

Worldwide LTE IoT EGPRS module

EXOSITE:

• Cloud data management

GROVESTREAMS:

IoT platform

## **Revision history**

#### Table 2. Document revision history

Date	Revision	Changes
15-Feb-2018	1	Initial version
22-May-2018	2	Updated <i>Features</i> to add ST Incard <sup>™</sup> eSIM, <i>Demonstration software</i> for precisions, and <i>Technology</i> <i>partners</i> to replace EMNIFY by AVSystem



#### IMPORTANT NOTICE - PLEASE READ CAREFULLY

STMicroelectronics NV and its subsidiaries ("ST") reserve the right to make changes, corrections, enhancements, modifications, and improvements to ST products and/or to this document at any time without notice. Purchasers should obtain the latest relevant information on ST products before placing orders. ST products are sold pursuant to ST's terms and conditions of sale in place at the time of order acknowledgement.

Purchasers are solely responsible for the choice, selection, and use of ST products and ST assumes no liability for application assistance or the design of Purchasers' products.

No license, express or implied, to any intellectual property right is granted by ST herein.

Resale of ST products with provisions different from the information set forth herein shall void any warranty granted by ST for such product.

ST and the ST logo are trademarks of ST. All other product or service names are the property of their respective owners.

Information in this document supersedes and replaces information previously supplied in any prior versions of this document.

© 2018 STMicroelectronics – All rights reserved

DB3530 Rev 2

